

A History of Enfield Town Lines
From 1761 To 2007

By Kurt Gotthardt
Enfield, New Hampshire
2010

Dedicated to all of those who walked the Town Lines before me

Kurt Gotthardt
Enfield, New Hampshire

Contents

1. Introduction
2. Legislative Acts
3. GPS Coordinates
4. Monument's map locations
5. Enfield/Lebanon Monument Photo's
6. Summary of the Enfield/Lebanon Perambulation Reports
7. Enfield/Canaan Monument Photo's
8. Summary of the Enfield/Canaan Perambulation Reports
9. Enfield/Grafton Monument Photo's
10. Summary of the Enfield/Grafton Perambulation Reports
11. Enfield/Springfield Monument photo's
12. Summary of the Enfield/Springfield Perambulation Reports
13. Enfield/Grantham Monument Photo's
14. Summary of the Enfield/Grantham Perambulation Reports
15. Enfield/Plainfield Monument Photo's
16. Summary of the Enfield/Plainfield Perambulation Reports
17. History of the Enfield/Lebanon/Plainfield Corner Monument
18. History of the Enfield/Lebanon/Hanover/Canaan Corner Monument
19. History of the Enfield/Canaan/Grafton Corner Monument
20. History of the Enfield/Grafton/Springfield Corner Monument
21. History of the Enfield/Springfield/Grantham Corner Monument
22. History of the Enfield/Grantham/Plainfield Corner Monument

Enfield Charter July 4th 1761

Beginning at the South East Corner of Labanon, from thence South Sixty Eight Degrees East, Six Miles & Three Quarters of A Mile thence North forty three degrees East, five Miles & one half from thence North fifty Eight degrees West Seven Miles & an half to the North East Corner of Labanon from thence by the East Side or Labanon to the first Bounds Mentioned And that the same be, and hereby is Incorporated into a Township by the Name of Endfield...

An act to authorize & impower Jeremiah Page & Henry Gerrish Esquires & M^r William Chamberlin to run out & settle the lines & boundaries of the Townships of Enfield alias Relham, and those lines, & boundaries of the Townships of Canaan & Grafton which are contiguous thereto or dependent thereupon ---

... but upon surveying the said Township of Enfield agreeable to the words of the Charter the survey run in upon the Township of Canaan near one mile contrary to the expectation of the proprietors thereof as the then northerly side line of Enfield was reputed to be the southerly side line of Canaan. That upon examining into the matter it appeared that there was a gore of land between said Enfield & Grantham which was not claimed by said Grantham but appeared to be occasioned by a clerical error in drawing the Charter of said Enfield by writing sixty eight instead of fifty eight degrees which makes it interfere with & confound the lines of the adjoining towns. That by correcting said clerical mistake of sixty eight to fifty eight degrees it would make the lines of the Charter aforesaid uniform & agreeable...

Therefore

Be it enacted by the Council & House of Representatives in General Assembly convened and by the authority of the same it is hereby enacted. That the said Jeremiah Page, Henry Gerrish & William Chamberlin be and hereby are appointed a Committee to survey and lay out the Township of Enfield alias Relham and make the proper metes & boundaries thereof. And also those metes & boundaries of the Townships of Canaan & Grafton which are or may be contiguous thereto or dependent thereupon ...

And whereas it is mutually agreed by & between the said George Harris (Canaan), Jesse Johnson (Enfield) Jonathan Buffom & Russell Mason (Grafton) for & on the behalf of their respective Townships. That the southeasterly corner boundary of Lebanon which is likewise the southwesterly corner boundary of Enfield alias Relhan commonly called Sumners bound -- is a fixed known & true boundary.

Therefore

Be it further enacted by the authority aforesaid that the committee above mentioned in surveying said Township & making the metes & boundaries in manner aforesaid shall allow the said boundary commonly called Sumner's bound to be a right & true boundary – and shall regulate their procedure by & agreeable unto the same in a just & equitable manner according unto the best of their judgment: proper regard being paid to the seniority of Charter & the true intent & meaning of the same. And the return or report of said Committee or the major part of them being made to the Secretary's office within one year from the passing of this Act shall be binding & conclusive in law upon all parties & persons whatsoever--

Passed March 28, 1781

Town Papers, Documents Relating To Towns in New Hampshire, Volume XI
(Page 613)

Report of Committee on Town Lines, from “Town Boundaries”
(Page 209)

Whereas By an act of the General Assembly of the State of New Hampshire Passed the 28th Day of March 1781 Jeremiah Page Esq^r with us the Subscribers was appointed a Committee to Settle the Lines and Boundaries of the Township of Enfield Alias Relhan and those Lines and Boundaries of the Townships of Canaan and Grafton which are or may be Contiguous thereto or depending thereupon -- pursuant to said appointment the Subscribers have performed said service in the following manner (viz)

Beginning at the Southeasterly Corner Bound of the Township of Lebanon which is the Southwesterly Corner of the Township of Enfield alias Relhan, Commonly cal'd Sumners Bound and

thence Running South fifty eight degrees East six miles and three fourths of a mile to a Hemlock tree Marked H G. W C &c

thence running North forty Degrees & forty five Minits East about five miles and one half mile to a Spruce tree mark^d as aforesaid which is the Dividing Line between Enfield and Grafton and is the Northeasterly corner of Enfield Alias Relhan and the Southeasterly corner of Canaan

thence Running North Fifty Eight Degrees West Seven Miles and Sixty Rods to a Birch Stump which is the Corner of Lebanon -- Enfield and Canaan thence by Lebanon to the Bounds first mentioned

Boscawen July 9th 1781

Henry Gerrish
W^m Chamberlin

Com^{ee}

To Ebenezer Thompson Esq. Secretary for the State of New Hampshire

Town Papers, Documents Relating To Towns in New Hampshire, Volume XII
(Pages 388 to 389)

Report of committee on boundaries, 1786
Establishing the line between Lebanon and Enfield

Whereas, we the Subscribers Being appointed a Committee by the Honor^{bl} General Assembly of said State to Establish the Boundaries between the towns of Lebanon and Enfield have met accordingly upon said towns and after Due Examination of the Bounds and Lines of s^d towns of Lebanon and infield,

Proceeded as followeth,

firstly began at a white Pine tree marked on the Easterly Bank of Conacutt River which is Caled the agreement tree between s^d Lebanon and Plainfield and thence measured easterly on the line Between s^d Lebanon and Plainfield six miles to a Stake and Stone Comonly Known by the name of Sumners Bound then Examined the Lines and Records Shewen us Between s^d Lebanon and Enfield and find a Bound Standing at the Northeasterly Corner of s^d Lebanon Comonly Known by the name of the Birch tree but s^d tree being fell Down a Stake and Stone Erected in the place where said Birch tree stood; and we Do establish the first said Stake and Stone Coled Sumners Bound to be a Bound between s^d Lebanon and infield on the Southerly Side of s^d towns, and the said Birch tree (now Stake and Stone) to be the northerly Bounds between s^d Lebanon and infield, and Do order that a Strat Line be Drawen between s^d Sumners Bond and said Birch tree or Stake standing in the place of said Birch to be the Deviding Line between said Lebanon and said infield, and have Recommended to said Committee to settle with all Pursons who are on Land in ether of s^d towns which shall fall out of the town which he settled in the best way which thay Can according to ower orders from s^d Gen^{ll} assembly

which is Humbly Submitted

October Y^e 23 : 1786 -

Charles Johnston
Jeremiah Page
Moses Chase
Committee

Laws of New Hampshire, Volume Seven, 1801 – 1811
(Pages 119 to 121)

An Act to establish and make valid the report of Henry Gerrish and William Chamberlain, Esquires, relative to the boundaries of the Towns of Enfield, Canaan and Grafton, in the County of Grafton

-- that the report of said Committee or the major part of them being made to the Secretary's Office within one year from the passing said Act should be binding and conclusive in law upon all parties and persons whatsoever.--

That said Committee made their report and survey, which the said Gerrish is confident was forwarded to the Secretary's Office within the year prescribed by said Act; which said survey and report is either lost or mislaid in the Secretary's Office, and cannot be found, but a true and just copy of the same is still retained by said Committee — that there are about forty families peaceably settled agreeably to the lines and boundaries established by said Committee, for nearly twenty years, and taxes have been assessed and collected — that in case said survey should not be considered valid, it might involve Inhabitants of said Towns in expensive lawsuits and inveterate animosities — which statement on a public hearing being fully proved, and the petitioners praying that the Secretary may be directed to receive said report and survey and record the same — that it considered as valid to all intents and purposes as through the same had been returned and recorded within the time prescribed by said Act—

Therefore—

Be it enacted by the Senate and House of Representatives in General Court convened, That the copy of said survey and report which is as follows (towit) “Whereas by an Act of the General “Assembly of the State of New Hampshire passed on the 28th day “of March last, Jeremiah Page, Esquire was appointed with us the “subscribers a Committee to settle the lines and boundaries of the Township of Enfield alias Relhan, and those lines and boundaries of the Townships of Canaan and Grafton which are or may be contiguous thereto or dependent thereupon -- Pursuant to said appointment the Subscribers have attended said business, and by and with the consent of all the parties have performed said service in the following manner ...

(boundary description)

--- be received and recorded by the Secretary, and that the same be as effectual to all intents and purposes for the establishment of the boundaries of said Towns of Enfield, alias Relhan, Grafton and Canaan, as tho the original report had been returned and recorded in the Secretary's Office within the time prescribed in said act.---

Approved June 18, 1802

The Annexation of a Portion of Grantham to Enfield

1837 AN ACT to sever a certain tract of land from the town of Grantham and annex the same to Enfield.

Be it enacted by the Senate and House of Representatives in General Court convened. That all that tract of land situated in the northeast corner of the town of Grantham, in the county of Sullivan, which is contained within the following limits, viz: Beginning at the northeast corner of said town of Grantham, thence on the dividing line between said Grantham and Springfield three hundred and eighty three rods to the southeast corner bound of lot No. twenty seven in said Grantham, thence westerly, parallel with the south line of Enfield four hundred and fifty rods, thence northerly parallel with the dividing line between Grantham and Springfield, three hundred and eighty three rods to the south line of said Enfield, to intersect the northwest corner of lot No. fifteen in Grantham, thence easterly on said Enfield south line, to the bound begun at, be and the same is hereby severed from the town of Grantham in the county of Sullivan and annexed to the town of Enfield in the county Grafton, and said territory shall hereafter constitute and be part of said town of Enfield and said county of Grafton.

Grantham Lot Layout - 1806

Lot No. 15	Lot No. 16	Governor's Farm		
Lot No. 17	Lot No. 18			
Lot No. 19	Lot No. 20	Lot No. 29	Lot No. 28	Lot No. 27

Town of Grantham's original lot layout metes and bounds description

The preceding lotts were surveyed by James Smith assisted by David Clement & Elijah Johnson in the fall of the year 1806.

- No. 15 Begins at a small beach tree standing in the north line of the Town 100 rods from the Northwest Corner of the Governors farm so called, then runs S 41 (degrees) W 160 rods to a hemlock tree marked with the letters I. S. and numbered 15-16-17 and 18, then N 58 (degrees) W 100 rods to the East line of the 13th lott, then N 41 (degrees) E 160 rods to the Town Line, to a small Burch tree then Easterly on the town line 100 rods to the first named bound.
- No. 16 Begins at the Northwest Corner of the governors farm so called, then runs N 58 (degrees) W on the north line of the town 100 rods to a beach tree marked No. 15 & 16 – then south 41 (degrees) W 160 rods to a Hemlock tree No. 15-16-17 & 18 then S 58 (degrees) E 100 rods to the west line of the Governors Farm. Then N 41 (degrees) E 160 rods to the bound begun at.
- No. 17 Begins at a Small Beach Tree standing in the Northwest Corner of the 20th lott which is the corner of four Lotts (viz.) No. 17-18-19 and 20 – then runs N 58 (degrees) W 100 rods to the East line of the 11th lott, then N 41 (degrees) E 160 rods to the Southwest Corner of the 15th lot then S 58 (degrees) East 100 rods to a Hemlock tree marked and numbered 15-16-17 and 18 then N 41 (degrees) W to the first named bound.
- No. 18 Begins at a small beach tree standing in the northwest corner of the 20th lot marked as above stated, then runs N 41 (degrees) E 160 rods to a hemlock tree marked and numbered 15-16-17 and 18, standing in the Southwest Corner of the 16th Lott then S 58 (degrees) E 100 rods to the West line of the governors farm, then S 41 (degrees) W 160 Rods, the N 58 (degrees) W 100 rods to the bound first named.
- No. 19 Begins at a small Beach tree standing in the Northwest Corner of No. 20, then Runs S 41 (degrees) W 155 rods to a small white Maple standing in the Northeast Corner of a Second hundred laid out to Nath'l Hall on the Propagating Right then N 61 (degrees) W 100 rods to the Northwest Corner of said Propagating Right on pitch then N 41 (degrees) E 160 rods, then S 58 (degrees) E 100 to the first named bound.
- No. 20 Begins at a small Beach Tree standing in the Northwest Corner of the 19th lott marked and numbered 17- (?) 18-19 and 20 – then runs S 41 (degrees) W 155 rods to the Northeast Corner of a pitch laid out to the propigating Right then S 58 (degrees) E 100 Rods then N 41 (degrees) E 155 rods to the Southeast Corner of the 18th lott then 58 (degrees) W 100 to the bound begun at.

- No. 27 Begins at a white maple tree marked with the letters I. S. and numbered 25 and 27 and is the South -West corner of lott No. 27 and the Northwest Corner of No. 25 then runs N 41 (degrees) E about 95 rods to the Governors Farm so called, then S 58 (degrees) E about 75 rods to Springfield line, then S 41 (degrees) W on Springfield line about 95 rods to the Northeast Corner of the 25th lott, then N 58 (degrees) W about 75 rods to the first named bound.
- No. 28 Begins at a Hemlock Tree standing in the Northeast Corner of lott No. 27 Numbered 27 & 28 then runs N 58 (degrees) W 104 rods to a Spruce Tree marked, then S 41 (degrees) W 93 rods to a Large (Crotched ?) beach tree marked and numbered 26-28-29 and 30, then S 58 (degrees) E about 104 rods to a white maple tree marked which is the corner of lotts No. 25-26-27 & 28, then N 41 (degrees) E to the bound first named.
- No. 29 Begins at a spruce tree standing in the Northwest Corner of the 28 lot, then runs N 58 (degrees) W 94 rods to small spruce tree standing in the Southwest Corner of the Governors farm, then S 41 (degrees) W about 93 rods, then S 58 (degrees) E 94 rods to a large Beach tree marked and Numbered 29 & 30 then N 41 (degrees) E to the first named bound.

Governor's Farm No lot layout was found for the Governor's Farm.

The History of Canaan New Hampshire - (Published 1910)
(Pages 105 - 106)

Survey to settle the location of the Enfield/Canaan Town Line

The map of Enfield survey, at this time, (1805) gives the same course as the Canaan map, each town assisting the other in running the line. For eighty years no question of its correctness arose until in 1883, Henry H. Wilson, who had been a continuous selectman, after close examination, became convinced that the covered bridge over the Mascoma, called Blackwater or Scofield Bridge, was in Enfield and should be cared for by that town. The interesting that cause was kept up two seasons and several skillful surveyors were employed. At first the bridge was thrown into Enfield, which was a triumph for Wilson and Canaan. The defeated party then put on an additional surveyor and there was a victory for Enfield. Mr. Wilson then put on Prof. Charles H. Pettee, a civil engineer and surveyor, in whose skill and exactness he had the greatest confidence, and decided to abide the result of his labors. The bridge was in Canaan by a few feet. The method pursued was as follows:

By placing a signal on Moose Mountain at a Point known to be a few feet from the line, a trial line having been run with the compass from the western bound to this Point. Then a Point on Grafton hills beyond the eastern bound and on the Prolongation of the town line was found and a signal was erected, this point giving a view of east bound in Grafton west line and Moose Mountain stations. Then the position of Moose Mountain station was corrected by sighting on Grafton station and running a line to west bound. Intermediate stations on Howe and Cogswell Hills were determined from which the position of the various roads was obtained and marked by temporary stakes. The bearing of this line from Grafton Station, Cogswell Hill and various intermediate points was $N 52 \frac{3}{4}^{\circ} W$, from Howe Hill it was $N 53 \frac{1}{2}^{\circ} W$, showing a slight variation.

And to establish the line so that there should be no further cause for dispute the selectmen of the towns traversed the seven-mile line and placed thirteen stone posts firmly in the ground, one at each highway leading from Canaan to Enfield. The expense of this campaign against the bridge to the towns was about \$175.

1884 Petition by Enfield Residents to Annex a Portion of Enfield to Lebanon

Beginning at a stake and stone on the easterly line of Lebanon aforesaid about one hundred and forty five rods northerly and easterly from the northerly side of the house of Miner Purmonts.

Thence at right angles with said easterly line of said Lebanon south 54° east fifty rods to a stake and stones.

Thence south $19\frac{1}{4}^{\circ}$ west eleven hundred rods to a stake and stones on the northerly line of Plainfield in the county of Sullivan and southerly line of said Enfield.

Thence north $68\frac{1}{2}^{\circ}$ west on said line between said Enfield and said Plainfield to the south east corner of said Lebanon and south west corner of said Enfield to a post set in the ground about three hundred and eighty rods.

Thence north 36° east on the line between said Lebanon and said Enfield about eleven hundred and ten rods to the point first mentioned.

And your petitioners further show that they are all residents within the district above described.

The reasons assigned by your petitioners for the granting of this petition are as follows.

1st) That it will conduce greatly to the convenience of your petitioners as they now do their marketing and get their mails at said Lebanon.

2nd) In order to attend the meetings of said town of Enfield they are compelled to travel seven miles or more over exceedingly difficult and high hills and often the roads are impassable in which case we can only reach the place of meeting of said town of Enfield by going a circuitous route and a distance of twelve miles or more.

3rd) We can attend the meetings of said town of Lebanon by traveling a distance of about five miles and the roads are always passable for that purpose.

4th) In many other respects said setting off of said district will greatly conduce to the convenience of your petitioners.

Wherefore your petitioners humbly pray your honorable bodies that this petition may be granted and that the above described portion of said Enfield may be set off from Enfield and annexed to said Lebanon and your petitioners as in duty bound will ever pray.

1885 Town Meeting

Article 9: To see what action the town will take in regard to the petition of J. E. Gile and others to be severed from the town of Enfield and annex to the town of Lebanon.

Vote on Article 9: On motion voted to send two agents to meet the petitioners at the legislators to oppose division of the town.

1884 Petition in True North and Feet

Beginning at a stake and stones on the easterly line of Lebanon about 2,392 1/2 feet, north east from the northerly side of Minor Purmonts house. (Tax Map 6, Lot 1)

Thence, right angle with easterly line of Lebanon, south 66⁰ east for 825 feet to a stake and stones.

Thence south 7 1/4⁰ west for 18,150 feet to a stake and stones on the northerly line of Plainfield and southerly line of Enfield.

Thence north 80 1/2⁰ west on Enfield / Plainfield town line to the south east corner of Lebanon and south west corner of Enfield to a post set in ground about 6,270 feet.

(The compass bearing north 80 1/2⁰ west [north 68 1/2⁰ west magnetic] is not the correct bearing for the Enfield / Plainfield town line. I believe there was a recording error made. If you follow the distance of 6,270 feet, and follow the Enfield / Plainfield town line, it will bring you to the south east corner of Lebanon and the south west corner of Enfield.)

Thence, north 24⁰ east on the Lebanon / Enfield town line about 18,315 feet to the point first mentioned.

A story about the Enfield/Hanover Town Line

There is a story told by some long-term Enfield residents about the Enfield/Hanover Town Line. This story states that the Enfield and Hanover towns do not join because back in the 1970's the Ledyard Bank of Hanover wanted to open a branch in Enfield, but were prevented from doing so.

The reason given for this denial was do to a law that stated a bank could not expand into an abutting town unless those towns are continuous. Therefore, the folks who believe this story insist that Enfield and Hanover do not abut, share a common boundary, or join in anyway.

This story is not true. Enfield and Hanover do join at a common corner, along with the towns of Lebanon and Canaan at a point on Moose Mountain.

The facts regarding a bank from Hanover trying to expand into Enfield are as follows:

The Ledyard Bank was established in 1991, so it did not even exist in the 1970's. Some of the original Ledyard Bank board of directors where part of a bank known as the Dartmouth National Bank. The Dartmouth National Bank became inactive in 1989.

I contacted some of the early Ledyard Bank Board of Director members who were involved with the Dartmouth National Bank. They do recall that the Dartmouth National Bank wanted to expand into Enfield, but do not recall the details regarding why this expansion never took place. They did mention that the banking laws at that time were very restrictive.

The state banking law that regulates how a bank can expand is RSA 384.

During the 1970's, RSA 384-B:1 Definitions stated;

1X. "Contiguous town" means any incorporated town or city any part of the boundaries of which are contiguous to any part of the boundaries of the town or city in which the principal office of a bank is located.

384-B:2 Branch Offices. No bank or officer, director, agent or employee thereof shall transact any part of its usual business of banking at any branch office except as follows:

1. With the approval of the board, any bank may (a) establish and operate one or more branch offices within the town in which its principal office is located; (b) establish and operate one or more branch offices within any contiguous town, provided there is not in existence on the effective date of this act and still operating any bank or national bank located in such contiguous town; (c) establish and operate a branch office within any noncontiguous town any part of which is within a radius of fifteen miles of its principal office, provided no bank or national bank in existence on the effective date of this act and still operating is located anywhere in this state within a radius of ten miles of the location of any such proposed branch office.

Historical Time Line:

February 1976

The Hanover Bank and Trust talked to the Planning Board about opening a bank in Enfield.
No further action was taken.

August 1976

The National Bank of Lebanon received Site-Plan approval to open a bank at the corner of Rt. 4 and Main St. The building used is the current Enfield hardware store.

1977

The Mascoma Savings Bank opened a branch in Enfield.

1985

National Bank of Lebanon changes its name to First NH Bank of Lebanon.

1987

Hanover Bank and Trust becomes inactive.

1989

Dartmouth National Bank becomes inactive and is merged into Fleet Bank.

1991

First NH Bank of Lebanon becomes inactive and is merged into Citizens Bank.

1991

Ledyard National Bank is formed.

STATE OF NEW HAMPSHIRE

RSA

CHAPTER 51

TOWN LINES AND PERAMBULATION OF BOUNDARIES

51:2 Perambulation of Town Lines. – The lines between the towns in this state shall be perambulated, and the marks and bounds renewed, once in every 7 years forever, by the selectmen of the towns, or by such persons as they shall in writing appoint for that purpose.

51:4 Return. – A return of the perambulation shall be made, particularly describing the courses and distances and the marks and monuments of such line, which shall be signed by the selectmen or persons making the same, recorded in the respective town books, and filed with the secretary of state.

The following GPS measurements were taking with a:

Leica GPS1200 Series



Lebanon GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Lebanon - Plainfield	43 - 35 - 6.94	72 - 12 - 29.39
Corner Bound # 1		
Durkee Road - Bound # 3	43 - 35 - 56.56	72 - 11 - 58.43
Route 4A - Granite Post - Bound # 8	43 - 38 - 32.58	72 - 10 - 21.07
Route 4 - Stonewall - Iron Pin	43 - 38 - 55.30	72 - 10 - 5.18
Bound # 9A		
Enfield - Lebanon - Hanover - Canaan	43 - 39 - 32.72	72 - 09 - 43.23
Corner Bound # 10		
Corner Bound # 1 to Corner Bound # 10	N 25 ⁰ E true north	5.60 miles

Canaan GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Canaan - Grafton	43 - 36 - 40.96	72 - 01 - 11.71
Corner Bound # 1		
Chebacco Road - Bound # 2	43 - 37 - 03.58	72 - 02 - 18.67
Potato Road - Bound # 3	43 - 37 - 20.81	72 - 03 - 10.36
Choate Road - Bound # 4	43 - 37 - 37.73	72 - 04 - 0.39
Ibey Road - Bound # 5 - not located	XXXXX	XXXXX
Mud Pond Road - Bound # 6	43 - 37 - 56.93	72 - 04 - 57.20
Jones Hill Road - Bound # 7	43 - 38 - 20.70	72 - 06 - 6.75
Bound # 8 - not located	XXXXX	XXXXX

Canaan GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
West Farms Road - Bound # 9	43 - 38 - 36.80	72 - 06 - 56.75
Old West Farms Road - Bound # 10	43 - 38 - 39.50	72 - 07 - 3.94
Lindopp Lane - Bound # 11	43 - 38 - 43.67	72 - 07 - 16.08
Lovejoy Brook Road - Bound # 12	43 - 38 - 50.84	72 - 07 - 38.20
May Street - Bound # 13 - not located	XXXXXX	XXXXXX
Maple Street - Bound # 14	43 - 39 - 19.43	72 - 09 - 3.90
Enfield - Canaan - Lebanon - Hanover Corner Bound # 15	43 - 39 - 32.72	72 - 09 - 43.23
Corner Bound # 15 to Corner Bound # 1	S 65 ⁰ E true north	7.84 miles



Grafton GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Grafton - Canaan Corner Bound # 1	43 - 36 - 40.96	72 - 01 - 11.71
Potato Road – Bound # 4 Highway Sign and Hollow Pipe	43 - 34 - 53.09	72 - 02 - 44.38
Route 4A - Highway Sign	43 - 33 - 35.40	72 - 03 - 49.91
Junction of Stonewall	43 - 33 - 16.88	72 - 04 - 06.16
Enfield - Grafton - Springfield Corner Bound # 7	43 - 33 - 10.60	72 - 04 - 11.68
Corner Bound # 1 to Corner Bound # 7	S 32 ⁰ W true north	5.47 miles

Springfield GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Springfield - Grafton	43 - 33 - 10.60	72 - 04 - 11.68
Corner Bound # 1		
Enfield - Springfield - Grantham	43 - 31 - 42.97	72 - 05 - 28.03
Corner Bound # 4 - Gravel Pit		
Corner Bound # 1 to Corner Bound # 4	S 32 ⁰ W true north	1.27 miles

Grantham GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Grantham - Springfield Corner Bound # 1 - Gravel Pit	43 - 31 - 42.97	72 - 05 - 28.03
Enfield - Grantham Corner Bound # 2 - Shore Drive	43 - 32 - 18.26	72 - 07 - 13.04
Enfield - Grantham Corner Bound # 3 - Cole Pond	43 - 33 - 12.19	72 - 06 - 23.68
Old Rt. 10 Bound # 3A	43 - 34 - 05.11	72 - 09 - 08.49
Enfield - Grantham - Plainfield Corner Bound # 4	43 - 34 - 24.63	72 - 10 - 10.94
Corner Bound # 1 to Corner Bound # 2	N 65 ⁰ W true north	1.60 miles
Corner Bound # 2 to Corner Bound # 3	N 34 ⁰ E true north	1.25 miles
Corner Bound # 3 to corner Bound # 4	N 66 ⁰ W true north	3.49 miles

Plainfield GPS Coordinates		
Monument Name and Number	Latitude (N)	Longitude (W)
	NAD 83	NAD 83
	degrees - minutes - seconds	degrees - minutes - seconds
Enfield - Plainfield - Lebanon	43 - 35 - 6.94	72 - 12 - 29.39
Corner Stone Bound # 1		
Stone Bound # 2	43 - 34 - 45.76	72 - 11- 18.21
Stone Bound # 3	43 - 34 - 44.90	72 - 11 - 15.88
1 3/4" Hollow Pipe	43 - 34 - 35.70	72 - 10 - 46.66
Enfield - Plainfield - Grantham	43 - 34 - 24.63	72 - 10 - 10.94
Corner Stone Bound # 5		
Corner Bound # 1 to Corner Bound # 5	S 66 ⁰ E true north	2.09 miles

In mapping this line comparison, the southwest corner of Enfield was used as the common starting point for both data sets. The Lebanon/Enfield line was used as the common orientation line. The remaining lines were allowed to fall where they may.



Legend	
Original line and bearing	N 41° E (Circa 1800 Magnetic north)
GPS derived line and bearing	N 65° W (True (grid) North)

Town Lines of Enfield, NH

Comparison between Original Descriptions and Recent GPS Locations of Existing Town Line Monuments

This map represents a comparison between the original town line descriptions and the positions of town line monuments located by recent GPS readings taken by Kurt Gotthardt and James Taylor. The bearings and distances resulting from the GPS readings are approximate and should not be used for boundary determination. The Latitude-Longitude coordinates shown are suitable for assisting in locating the monuments.

June 21, 2010


Town of Enfield Boundaries



Boundary Monuments


Boundary Line Drawn from Corner Bound to Corner Bound

12,000 Feet




TOWN LINE MONUMENTS

Town of Enfield
Boundaries




ENFIELD/LEBANON/PLAINFIELD CORNER MONUMENT

Town of Enfield
Boundaries




ENFIELD/LEBANON TOWN LINE

Town of Enfield
Boundaries




ENFIELD/LEBANON TOWN LINE

Town of Enfield
Boundaries




ENFIELD/LEBANON BOUND #8 AND #9A

Town of Enfield
Boundaries




ENFIELD/LEBANON/HANOVER/CANAAN CORNER MONUMENT
ENFIELD/LEBANON BOUND #9A AND #10
ENFIELD/CANAAN BOUND #15 AND #14

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUND #14

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUNDS #12, #11, #10, AND #9

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUND #9 AND #7

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUND #7 AND #6

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUND #6 AND #4

Town of Enfield
Boundaries




ENFIELD/CANAAN BOUND #4 AND #3

Town of Enfield
Boundaries



ENFIELD/CANAAN BOUND #3 AND #2

Town of Enfield
Boundaries



ENFIELD/CANAAN/GRAFTON CORNER MONUMENT


ENFIELD/CANAAN BOUND #2 AND #1

Town of Enfield
Boundaries




ENFIELD/GRAFTON TOWN LINE

Town of Enfield
Boundaries



ENFIELD/GRAFTON BOUND #4


Town of Enfield
Boundaries



Data used on this map are obtained from one or more of the following sources:
1. GRAFTON, VT Chapter Technical Resources Center, (2011)
2. USGS, 1:50,000 Topographic Digital Planning Coordinates
3. VT Dept. of Transportation, Bureau of Transportation Planning
4. Grafton Community Development Office


ENFIELD/GRAFTON TOWN LINE

Town of Enfield
Boundaries




ENFIELD/GRAFTON/SPRINGFIELD CORNER MONUMENT

Town of Enfield
Boundaries



ENFIELD/SPRINGFIELD TOWN LINE

Town of Enfield
Boundaries




ENFIELD/SPRINGFIELD/GRANTHAM CORNER MONUMENT

Town of Enfield
Boundaries




ENFIELD/GRANTHAM CORNER MONUMENT

Town of Enfield
Boundaries




ENFIELD/GRANTHAM CORNER MONUMENT

Town of Enfield
Boundaries




ENFIELD/GRANTHAM TOWN LINE

Town of Enfield
Boundaries




ENFIELD/GRANTHAM BOUND #3A

Town of Enfield
Boundaries




ENFIELD/GRANTHAM/PLAINFIELD CORNER MONUMENT

Town of Enfield
Boundaries



ENFIELD/PLAINFIELD BOUND #3

Town of Enfield
Boundaries



ENFIELD/PLAINFIELD/LEBANON CORNER MONUMENT



BOUND #1

ENFIELD/LEBANON/PLAINFIELD CORNER

METHODIST HILL ROAD

GRANITE POST

18 1/2" HIGH X 7" WIDE X 6 1/2" WIDE

MARKED E AND L

NAD 83 Latitude (N) 43⁰ 35' 6.94"

NAD 83 Longitude (W) 72⁰ 12' 29.39"



BOUND #1

ENFIELD/LEBANON/PLAINFIELD CORNER

METHODIST HILL ROAD

GRANITE POST

18 1/2" HIGH X 7" WIDE X 6 1/2" WIDE

MARKED E AND L

NAD 83 Latitude (N) 43⁰ 35' 6.94"

NAD 83 Longitude (W) 72⁰ 12' 29.39"



BOUND #2

DURKEE ROAD, (CLASS VI)

HOLLOW IRON PIPE, 1" DIAMETER, 34" HIGH

SHALE WEDGE, 12" HIGH X 2 1/2" THICK X 9 1/2" WIDE

MARKED E AND L

NAD 83 Latitude (N) 43⁰ 35' 56.56"

NAD 83 Longitude (W) 72⁰ 11' 58.43"



BOUND #2

DURKEE ROAD (CLASS VI)

LETTER L CARVED INTO SHALE WEDGE



BOUND #8

SOUTH BOUND SIDE OF ROUTE 4A

GRANITE POST

FLUSH TO GROUND

6" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 38' 32.58"

NAD 83 Longitude (W) 72⁰ 10' 21.07"



BOUND #8

SOUTH BOUND SIDE OF ROUTE 4A


GRANITE POST

FLUSH TO GROUND

6" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 38' 32.58"

NAD 83 Longitude (W) 72⁰ 10' 21.07"



BOUND #9A

WEST BOUND SIDE OF ROUTE 4

IRON PIPE

SET IN FRONT OF STONE WALL

NAD 83	Latitude (N)	43 ⁰ 38' 55.30"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 10' 5.18"
--------	---------------	---------------------------



BOUND #10

ENFIELD/LEBANON/HANOVER/CANAAN CORNER

LOCATED ON MOOSE MOUNTAIN

GRANITE POST

38" HIGH X 6" WIDE X 7" WIDE

MARKED E, L, H, C

NAD 83 Latitude (N) 43⁰ 39' 32.72"

NAD 83 Longitude (W) 72⁰ 9' 43.23"



BOUND #10

ENFIELD/LEBANON/HANOVER/CANAAN CORNER

LOCATED ON MOOSE MOUNTAIN

GRANITE POST

38" HIGH X 6" WIDE X 7" WIDE

MARKED E, L, H, C

NAD 83 Latitude (N) 43⁰ 39' 32.72"

NAD 83 Longitude (W) 72⁰ 9' 43.23"

Summary of the Enfield/Lebanon Perambulation Reports

Bound #1 Enfield/Lebanon/Plainfield Corner

1847

South/east corner bound of Lebanon and the south/west corner of Enfield. Which we renewed.

1854

Begin at a stake and stones being the south/east corner of Lebanon and the south/west corner of Enfield and **erected a pine post in the place where the old one stood and marked the same L.E. [names] 1854 which is established as the corner of said towns. [Signed by a surveyor]**

1861

Beginning at a pine post and stones being the south/east corner of Lebanon and the south/west corner of Enfield and marked the same [names] 1861 which is established as the corner of said towns.

1868

Beginning at a pine post and stones being the south/east corner of Lebanon and south/west corner of Enfield and marked the same [names] 1868 which is established as the corner of said towns.

1875

Beginning at a pine post and stones being the south/east corner of Lebanon and the south/west corner of Enfield and marked the same [names] 1875 which is established as the corner of said towns.

1882

Met at the south/east corner of Lebanon and the south/west corner of Enfield being a post and stones.

1889

At the south/east corner of Lebanon and the south/west corner of Enfield said corner being a post and stones.

1903

Beginning at a post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E with various other marks.

1910

Beginning at a **granite** post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E with various other marks.

1917

Beginning at a granite post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E **and an iron pin in the top of said post.**

1924 [typed print]

Beginning at a granite post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E and an iron pin in the top of said post.

2005

On north side of Methodist Hill Rd., at junction of Enfield, Lebanon, & Plainfield boundaries, an iron pin in granite post set on concrete pad. Post has beveled top with chiseled "L" on north side and chiseled "E" on south side. No "P" visible. Post appears to have been reset 90 degrees off of proper orientation (perhaps when set in concrete?). Newer, roughly carved "E" and "L" appear on east and west sides, respectively, of same post. Exposed post measures 18.5" from concrete base to top, and is 7" x 6.5" around. Plug-and-feather stonecutting method evident: round holes were drilled every 6" or so along break line.

Bound #2

1847

Renewing the ancient marks and monuments.

1854

A Beech tree standing on the south side of the road leading east from [Eldridges?] house.

1861

A stone on the east side of the road leading from the [Eldridge?] road to Union Meeting House marked L + E.

1868

A stone on the east side of the road leading from [Benjamin Woods?] to Union Meeting House marked L + E.

1875

A stone on the east side of the road leading from the house formerly owned by [Benjamin Wood?] to Union Meeting House in Enfield marked L + E.

1882

Constructed a bound of stones and stake by the side of a Beech tree standing on the south side of the old road leading past the [Guar Eldridge?] farm to [Jonathan + Natharriel Sargents?] – being the same Beech tree described in the return of the perambulation of 1854.

1889

A stone on the east side of the road leading from the house formally owned by [Benj Wood?] to the Union Meeting House in Enfield.

1903 to 1924

No mention.

2005

On east side of old road (Durkee, Class VI), a 1” diameter iron pipe (hollow) in stone pile. Exposed pipe 34” high. Next to pipe is an upright slate or shale wedge, 12” high x 2.5” thick x 9.5” wide, with carved “L” and “E” on west and east sides, respectively.

Bound # 3

1847

Renewing the ancient marks and monuments.

1854

No mention.

1861

To a stone on the south side of the road leading from [Guar Eldridge?] to [J.B. Sargent?]

1868

To a stone on the south side of the road leading from [Guar Eldridge?] to [J.B. Sargent?]

1875

To a stone on the south side of the road leading from [Thomas Haugh?] to [J.B. Sargent?] marked L + E.

1882

No mention.

1889

To a stone on the south side of the road leading from the house formerly owned by [Thomas Haugh?] to the [J.B. Sargent?] place.

1903

To a stone surrounded by other stones on the south side of the road leading from [E. I. Bardins?] to [J. B. Sargents?] near which bound we placed a stake with 4 hacks on opposite sides.

1910

To a stone surrounded by other stones on the south side of the road leading from [E.L. Bardins?] to [B.J. McC?] near which bound is a stake on which we marked the figures 1910.

1917

To a stone surrounded by other stones on the south side of the road leading from the [E.L. Bardins?] farm now occupied by [Bliss Forbush?] to the [B. J. McCallister?] farm in which bound is a stake marked 1910 by the side of which we placed an iron pipe.

1924 [Verbatim of 1917 report]

To a stone surrounded by other stones on the south side of the road leading from the E. C. Barden farm now occupied by Bliss Forbush to the B. F. McCollister farm in which bound is a stake marked 1910 by the side of which we placed an iron pipe.

2005

No mention

Bound #4

1847

Renewing the ancient marks and monuments.

1854

A poplar tree on the hill nearly opposite [Dutton?] house.

1861

To a Poplar tree on the hill opposite [S. Hartins?] house.

1868

To a Poplar tree on the hill west and nearly opposite of [S. Hartins?] house.

1875

To a stake and stones on the hill west and nearly opposite [Simon Hartens?] house.

1882

No mention.

1889

To a stake and stones on the hill west and nearly opposite to [Simon Hartons?] house.

1903

To a stone with stones around it on the hill opposite the Horton place. Now owned by H. A. Follensbee – building now burned. - Bound renewed by stake with 5 hacks on opposite sides.

1910

No mention.

1917

To a stone with stones around it on the hill opposite the Horton place, now owned by H. A. Follensbee, building burned, bound renewed by an iron pipe.

1924 [Verbatim of 1917 report]

To a stone with stones around it on the hill opposite the Horton place. Now owned by H. A. Follensbee, building burned, bound renewed by an iron pipe.

2005

No mention

Bound # 5

1847

Renewing the ancient marks and monuments.

1854

No mention.

1861

No mention.

1868

No mention.

1875

To a stake and stones on the southerly side of Stony Brook opposite the south end of [?] saw mill.

1882

No mention.

1889

To a stake and stones on the southerly side of Stony Brook opposite the south end of [?] saw mill.

1903

To a hemlock stake and stones on the southerly side of Stony Brook opposite the south end of [Gavis?] sawmill.

1910

To a hemlock stake and stones on the southerly side of Stony Brook opposite the south end of the foundations where formerly stood [Joslins?] sawmill.

1917

Unreadable.

1924

To a stake (Maple) with 5 hacks and stones on the southerly side of Stony Brook about two rods south of the bridge.

2005

No mention

Bound # 6

1847

Renewing the ancient marks and monuments.

1854

A stake and stones on the northerly side of Stony Brook road so called.

1861

To a stake and stones on the north side of Stony Brook road.

1868

To stake and stones on the north side of Stony Brook road.

1875

To a stake and stones on the north side of Stony Brook road (about three (3) rods from said road.)

1882

No mention.

1889

To a stake and stones on the north side of Stony Brook and about (three) rods from said road.

1903

To a stake and stones on the northerly side of the Stony Brook road and about 3 rods back from said road.

1910

To a stake and stones on the northerly side of the Stony Brook road and about 2 rods back from said road, said bound renewed by a peeled hemlock post with hacks on opposite sides.

1917

Unreadable.

1924

To a peeled hemlock post with hacks on opposite sides on the northerly side of the Stony Brook road and about 2 rods back from said road.

2005

No mention

Bound #7

1847

Renewed the ancient marks and monuments.

1854

A stake and stones a little over the hill above [Nilson Giles?] house.

1861

To a stake and stones on the hill above [Hirum Purmonts?] house.

1868

To a stake and stones on the hill north of [Hirum Purmonts?] house.

1875

To a stake and stones on the hill north of the house of the late [Hirum Purmonts?].

1882

No mention.

1889

To a stake and stones on the hill northerly of the house of the late [Hirum Purmont?].

1903

To an ash stake with 2 hacks on opposite sides and stones around it standing on the hill northerly from [Hirum Purmont?] and about 48 ft. south/west from a spruce tree.

1910

To an ash stake and stones around it standing on the hill northerly from [Norman Wilsons?] and about 48 ft. south/west from a spruce tree.

1917

To a pile of stones in which we placed an iron pipe standing on the hill northerly from [Henry Monast?] and about 48 ft. south/west from a spruce tree.

1924 [Verbatim of 1917 report.]

To a pile of stones in which we placed an iron pipe standing on the hill northerly from Henry Monast and about 48 ft. south/west from a spruce tree.

2005

No mention

Bound # 8

1847

Renewed the ancient marks and monuments.

1854

A stake and stones on the south side of Enfield Pond.

1861

To a stake and stones on the south side of Enfield Pond.

1868

To a stake and stones on the south side of Enfield Pond.

1875

To a stake and stones on the south side of Enfield Pond.

1882

No mention.

1889

To a stake and stones on the south side of Enfield Pond.

1903

Over the hill to a stake and stones standing on the southerly side of Mascoma Lake. Northerly from the bridge on the road leading southerly to Shaker Village and near the shore of the lake.

1910

Over the hill to a stake and stones standing on the southerly side of Mascoma Lake. Northerly from the bridge on the road leading southerly to Shaker Village and near the shore of the lake.

1917

Over the hill to an iron pipe on the upper side of the road about 10 paces northerly from the bridge on the road leading southerly to Shaker Village.

1924

Over the hill to an iron pipe on the upper side of the road about 10 paces northerly from the bridge on the road leading southerly to Shaker Village.

2005

Bound #8 (as described in 1924): Not found

Bound # 9

1847

Renewed the ancient marks and monuments.

1854

And also on the north side of said pond and between that and the northern railroad.

1861

And also on the north side of said pond and between that and the northern railroad.

1868 to 2005

No mention.

Bound # 10 Enfield/Lebanon/Hanover/Canaan Corner

1847

To the charter bound, being the north/east corner of Lebanon and the north/west corner of Enfield **being a stake and stones marked L+E.**

1854

To an oak stake with stones about it being the north/east corner of Lebanon and the north/west corner of Enfield and marked L.E. W.G.P. U.P. 1854. **[Signed by a surveyor.]**

1861

To an oak stake and stones around it being the north/east corner of Lebanon and the north/west corner of Enfield at which corner of said towns **we erected a cedar post and marked the same [names] L.+ E. 1861.**

1868

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield and we marked said cedar post [names] 1868.

1875

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield.

1882

To the north/east corner of Lebanon and the north/west corner of Enfield.

1889

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield.

1903

Across said lake **to a cedar post supported by a spruce stake and surrounded by stones.** Standing in the north/east corner of Lebanon and the north/west corner of Enfield **marked L+E with various other marks. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a fence and a large [maple], oak tree.**

1910

Across said lake **to a granite post marked L, H, C, E,** standing in the north/east corner of Lebanon and the north/west corner of Enfield. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a fence and a large maple tree.

1917

Across Mascoma Lake to a granite post marked L, H, C, E, standing in the north/east corner of Lebanon and the north/west corner of Enfield. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a board fence and a large maple tree.

1924

Across Mascoma Lake to a granite post marked L. H. C. E. standing in the north/east corner of Lebanon and the north/west corner of Enfield and being the established corner of the four towns, Lebanon, Enfield, Canaan, and Hanover, said bound stands near a board fence and a large maple tree.

2005

Bound #10 (as described in 1910, 1917, and 1924): At elevation 395m, located stone pile with plug-and-feather granite post, 6" by 7" around and measuring 38" high. Carved "H" and "C" appear on appropriate sides for Hanover and Canaan, respectively. Carved "L" for Lebanon appears on wrong side, above "E" for "Enfield", which is on appropriate side of post. Overall, letters "L" and "H" appear to be more recent.



BOUND #1

ENFIELD/CANAAN/GRAFTON CORNER

GRANITE POST

SET IN STONE WALL

43" HIGH X 4 1/2" WIDE X 6 1/2" WIDE

NAD 83 Latitude (N) 43⁰ 36' 40.96"

NAD 83 Longitude (W) 72⁰ 1' 11.71"



BOUND #2

CHEBACCO ROAD (CLASS VI)

GRANITE POST

7" HIGH X 6" WIDE X 8" WIDE

NAD 83 Latitude (N) 43⁰ 37' 03.58"

NAD 83 Longitude (W) 72⁰ 2' 18.67"



BOUND #3

POTATO ROAD

CONCRETE POST

41" HIGH X 5" WIDE X 6" WIDE

NAD 83	Latitude (N)	43 ⁰ 37' 20.81"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 3' 10.36"
--------	---------------	---------------------------



BOUND #4

CHOATE ROAD

GRANITE POST

31" HIGH X 7" WIDE X 7" WIDE

NAD 83	Latitude (N)	43° 37' 37.73"
--------	--------------	----------------

NAD 83	Longitude (W)	72° 4' 0.39"
--------	---------------	--------------



BOUND #6

MUD POND ROAD

GRANITE POST

5" HIGH X 5" WIDE X 7" WIDE

NAD 83	Latitude (N)	43 ⁰ 37' 56.93"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 4' 57.20"
--------	---------------	---------------------------



BOUND #7

JONES HILL ROAD

GRANITE POST

15 1/2" HIGH X 5" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 38' 20.70"

NAD 83 Longitude (W) 72⁰ 6' 6.75"



BOUND #9

WEST FARMS ROAD

GRANITE POST

10" HIGH X 5" WIDE X 7" WIDE

NAD 83 Latitude (N) $43^{\circ} 38' 36.80''$

NAD 83 Longitude (W) $72^{\circ} 6' 56.75''$



BOUND #9

WEST FARMS ROAD

GRANITE POST

10" HIGH X 5" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 38' 36.80"

NAD 83 Longitude (W) 72⁰ 6' 56.75"



BOUND #10

OLD WEST FARMS ROAD

GRANITE POST

36" HIGH X 6 1/2" WIDE X 8 1/2" WIDE

NAD 83 Latitude (N) 43⁰ 38' 39.50"

NAD 83 Longitude (W) 72⁰ 7' 3.94"



BOUND #10

OLD WEST FARMS ROAD

GRANITE POST

36" HIGH X 6 1/2" WIDE X 8 1/2" WIDE

NAD 83 Latitude (N) 43⁰ 38' 39.50"

NAD 83 Longitude (W) 72⁰ 7' 3.94"



BOUND #11

LINDOPP LANE (CLASS VI ROAD)

GRANITE POST

18" HIGH X 6" WIDE X 6" WIDE

NAD 83 Latitude (N) 43⁰ 38' 43.67"

NAD 83 Longitude (W) 72⁰ 7' 16.08"



BOUND #11

LINDOPP LANE (CLASS VI ROAD)

GRANITE POST

18" HIGH X 6" WIDE X 6" WIDE

NAD 83 Latitude (N) 43⁰ 38' 43.67"

NAD 83 Longitude (W) 72⁰ 7' 16.08"



BOUND #12

LOVEJOY BROOK ROAD (CLASS VI ROAD)

GRANITE POST

23" HIGH X 8" WIDE X 10" WIDE

NAD 83	Latitude (N)	43 ⁰ 38' 50.84"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 7' 38.20"
--------	---------------	---------------------------



BOUND #12

LOVEJOY BROOK ROAD (CLASS VI ROAD)

GRANITE POST

23" HIGH X 8" WIDE X 10" WIDE

NAD 83 Latitude (N) 43⁰ 38' 50.84"

NAD 83 Longitude (W) 72⁰ 7' 38.20"



BOUND #14

MAPLE STREET

GRANITE POST

39" HIGH X 5 1/2" WIDE X 12" WIDE

NAD 83 Latitude (N) 43⁰ 39' 19.43"

NAD 83 Longitude (W) 72⁰ 9' 3.90"



BOUND #14

MAPLE STREET

GRANITE POST

39" HIGH X 5 1/2" WIDE X 12" WIDE

NAD 83 Latitude (N) 43⁰ 39' 19.43"

NAD 83 Longitude (W) 72⁰ 9' 3.90"



BOUND #15

ENFIELD/CANAAN/HANOVER/LEBANON CORNER

LOCATED ON MOOSE MOUNTAIN

GRANITE POST

38" HIGH X 6" WIDE X 7" WIDE

MARKED E, C, H, L

NAD 83 Latitude (N) 43⁰ 39' 32.72"

NAD 83 Longitude (W) 72⁰ 9' 43.23"



BOUND #15

ENFIELD/CANAAN/HANOVER/LEBANON CORNER

LOCATED ON MOOSE MOUNTAIN

GRANITE POST

38" HIGH X 6" WIDE X 7" WIDE

MARKED E, C, H, L

NAD 83 Latitude (N) 43⁰ 39' 32.72"

NAD 83 Longitude (W) 72⁰ 9' 43.23"

Summary of the Enfield/Canaan Perambulation Reports

Bound #1 Enfield/Canaan/Grafton Corner

1875

... a stake standing on Grafton line marked E and C 1875.

1882

... a stake standing in the wall on the Grafton line at the southeast corner of Canaan and northeast corner of Enfield.

... said stake(s) are marked 1882 and various letters.

1886

Survey and establishment of line between Enfield & Canaan

By agreement the selectmen of Canaan and Enfield met at Black Water Bridge in Canaan on thirteenth day of December 1886 and proceeded to perambulate the line between said towns and erect permanent stone monuments at all points in said line where a highway passes from one of said towns to the other and establish the same as follows.

Beginning at Grafton hill station (described in above survey of said line by C.M. Pattee surveyor) at a locus stake marked or spotted on north south and west sides with stones piled around said stake;

Thence N 52 3/4⁰ W to a stake and stones standing in the westerly line of Grafton, and established as the east bound between Canaan and Enfield,

1895

Beginning at Grafton hill station at a locust stake marked or spotted on both sides

1902

We found the course to be N 52 3/4⁰ W. Beginning at Grafton Hill Station at a locus stake marked or spotted on both sides

1909

We found the course to be N 52 3/4⁰ W beginning at Grafton Hill Station and at a stone post in the wall about 40 rods north easterly from the Awah Sterns barn

1924

Met at Grafton hill station so called being the corner between Canaan and Enfield being a stone post marked on both sides

1932

Bound No. 1 - Beginning at a stone post set in the ground it being the north easterly corner of Enfield and the south-easterly corner of Canaan and on the Grafton town line said bound being marked E.-G.-and C; thence north-westerly in a straight line to the following bounds.

1939

Bound No. 1 - Beginning at a stone post set in the ground it being the north easterly corner of Enfield and the south-easterly corner of Canaan and on the Grafton town line said bound being marked E.-G.-and C; thence north-westerly in a straight line to the following bounds.

1940

Bound No. 1 - Beginning at a stone post set in the ground it being the north easterly corner of Enfield and the south-easterly corner of Canaan and on the Grafton town line said bound being marked E.-G.-and C;

2006

Bound No. 1 - Granite post measuring 4.5" X 6.5" X 43" high, and is located in a stonewall that runs along the Enfield/Grafton and the Canaan/Grafton town lines. This granite post marks the northeast corner of Enfield, and the southeast corner of Canaan.

Bound # 2

1886

Thence N 52 3/4⁰ W to the road leading by David Stevens, where we erected a stone monument in said line,

1895

And we found the course to be N 52 3/4⁰ W. And we found stone bounds set on David Stevens Road.

1902

Stone bound set on David Stevens road

1909

Stone bound set on David Stevens road

1923

Stone bound on David Stevens road

1932

Bound No. 2 - Stone bound on road from Hazen farm to Elmer Wescott near gap in stone wall on south side.

1939

Bound No. 2 - Stone bound on road from Hazen farm to Elmer Wescott near gap in stone wall on south side.

1940

Bound No. 2 - Stone bound on road from Hazen farm to Elmer Wescott near gap in stone wall on south side.

2006

Bound No. 2 - Granite post measuring 6" X 8" X 7" high, located on westerly side of the Class VI road called Chebacco Rd. in Enfield, and the discontinued portion of the road called Wescott Rd. in Canaan.

Bound # 3

1886

Thence in same point of compass to potato Road (so called) where we erected a stone monument in said line,

1895

Potato Road

1902

Stone bound set on Potato Road

1909

Stone bound set on Potato Road

1923

Stone bound on Potato Road

1932

Bound No. 3 - Stone bound on potato road so called about 35 feet north of stone bridge and being on westerly side of highway.

1939

Bound No. 3 - Stone bound on potato road so called about 35 feet north of stone bridge and being on westerly side of highway.

1940

Bound No. 3 - Stone bound on potato road so called about 35 feet north of stone bridge and being on westerly side of highway.

2006

Bound No. 3 - **Concrete post** measuring 5" X 6" X 41" high, located on the westerly side of Potato Rd.

Bound # 4

1886

Thence in same course to the road leading by Nath Howes home farm where we erected a stone monument in said line,

1895

highway leading by Nathaniel Howe

1902

Highway leading by Nathaniel Howe farm

1909

Highway leading by David Noyes

1923

Highway leading by Nathaniel Howe

1932

Bound No. 4 - Wooden post set in stone wall near bar-way on westerly side of Frank Leach so called.

1939

Bound No. 4 - Wooden post set in stone wall near bar-way on westerly side of Frank Leach so called.

1940

Bound No. 4 - Wooden post set in stone wall near bar-way on westerly side of Frank Leach road so called.

2006

Bound No. 4 - Granite post measuring 7" X 7" X 31" high, located on westerly side of Choate Rd. (Formerly called Leach Rd.)

Bound # 5

1886

Thence north $53 \frac{1}{2}^0$ west to the highway leading from Canaan to Enfield by the S. B. Pattee farm where we erected a stone monument in said line,

1895

Highway leading by S. B. Pattee farm

1902

Highway leading by S. B. Pattee farm

1909

Highway leading by S. B. Pattee farm

1923

Highway leading by the S. B. Pattee farm

1932

Bound No. 5 - Stone bound on Ibey road so called north of Shepard house and on westerly side of highway.

1939

Bound No. 5 - Stone bound on Ibey road so called north of Shepard house and on westerly side of highway.

1940

Bound No. 5 - Stone bound on Ibey road so called north of Shepard house and on westerly side of highway.

2006

Bound No. 5 - No monument was found on Ibey Rd.

Bound # 6

1886

Thence in same course to the highway leading from West Canaan to East Enfield where we erected a stone monument in said line,

1895

Highway leading from West Canaan to East-Enfield

1902

Highway leading from West Canaan to Lockhaven

1909

Highway leading from West Canaan to Lockhaven

1923

Highway leading from West Canaan to East Enfield

1932

Bound No. 6 - Stone bound on easterly side of Lockhaven road so called.

1939

Bound No. 6 - Stone bound on easterly side of Lockhaven road so called.

1940

Bound No. 6 - Stone bound on easterly side of Lockhaven road so called.

2006

Bound No. 6 - Granite post measuring 5" X 7" X 5" high, located on the easterly side of Mud Pond Rd. This monument is less weathered than the other monuments we found that day, but has similar weathering to the monument on West Farms Rd.

Bound # 7

1886

Thence in same course to the highway leading across Jones Hill (so called) where we erected a stone monument in said line,

1895

Highway leading across Jones Hill (so called)

1902

Highway leading across Jones Hill (so called)

1909

Highway leading over Jones Hill (so called)

1923

Highway leading across Jones Hill (so called)

1932

Bound No. 7- Stone bound on west side of Jones Hill road and about 20 rods south of Henderson Farm.

1939

Bound No. 7- Stone bound on west side of Jones Hill road and about 20 rods south of Henderson Farm.

1940

Bound No. 7- Stone bound on west side of Jones Hill road and about 20 rods south of Henderson Farm.

2006

Bound No. 7 - Granite post measuring 5" X 7" X 15 1/2" high, located on the westerly side of Jones Hill Rd.

Bound # 8

1886

Thence in same course to the highway near by and south west of Black Water Bridge (so called) where we erected a stone monument in said line,

1895

Highway near by and south west of Black Water Bridge

1902

Highway near by and south west of Black Water Bridge

1909

Highway nearby and south west of Black Water Bridge

1923

Highway nearby and south west of Black Water Bridge

1932

Bound No. 8 - State highway at Black Water Bridge it being a wooden marker with Canaan on one side and Enfield on the other side.

1939

Bound No. 8 - State highway at Black Water Bridge it being a wooden marker with Canaan on one side and Enfield on the other side.

1940

Bound No. 8 - State highway at Black Water Bridge it being a wooden marker with Canaan on one side and Enfield on the other side.

2006

No mention

Bound # 9

1886

Thence in same course to the highway leading from West Farms to West Canaan where we erected a stone monument in said line,

1895

Highway leading from West Farms to West Canaan

1902

Highway leading from West Farms to West Canaan

1909

Highway leading to West Farms from West Canaan

1923

Highway leading to West Farms from West Canaan

1932

Bound No. 9 - Stone bound on easterly side of West Farms to West Canaan road and about (?) feet from telephone post.

1939

Bound No. 9 - Stone bound on easterly side of West Farms to West Canaan road and about 50 feet from telephone post.

1940

Bound No. 9 - Stone bound on easterly side of West Farms to West Canaan road and about 59 feet north from telephone post.

2006

Bound No. 9 - Granite post measuring 5" X 7" X 10" high. There is a 1 1/2" hollow pipe located on the backside of the granite post. This granite post is located on the southwesterly side of West Farms Rd. 45 ft. +/- from telephone pole GSE Co. 2, NET + T Co. 2, and 242 ft. +/- from the intersection of West Farms Rd. and RT 4.

Bound # 10

1886

Thence in same course to the highway leading from Enfield to the new road (so called) to last described road where we erected a stone monument in said line,

1895

Highway leading from Enfield by new Road so called

1902

Highway leading from Enfield by new Road (so called) to West Farms

1909

Highway leading from Enfield by new Road (so called) to West Farms

1923

Highway leading from Enfield to New Road on Davis Hill so called

1932

Bound No. 10 - Stone bound on southerly side of West Farms to Enfield road.

1939

Bound No. 10 - Stone bound on southerly side of West Farms to Enfield road.

1940

Bound No. 10 - Stone bound on southerly side of West Farms to Enfield road.

2006

Bound No. 10 - Granite post measuring 6.5" X 8.5" X 36" high, located on the old woods road that goes from West Farms Rd. to the Mascoma Valley Regional School District SAU driveway. The old woods road is located 456 ft. +/- from the intersection of RT. 4 and West Farms Rd. The granite post is located 385 ft. +/- from the West Farms Rd. and the old woods road intersection.

Bound # 11

1886

Thence in same course to Davis Hill Road (so called) where we erected a stone monument in said line,

1895

Davis Hill Road so called

1902

Davis Hill road

1909

(Davis Hill Road)

1932

Bound No. 11 - Stone bound on westerly side of old road between Walter Foster's and Arthur Lapan's.

1939

Bound No. 11 - Stone bound on westerly side of old road between Walter Foster's and Arthur Lapan's.

1940

Bound No. 11 - Stone bound on westerly side of old road between Walter Foster's and Arthur Lapan's.

2006

Bound No. 11 - Granite post measuring 6" X 6" X 18" high, located on the Class VI road called Lindopp Lane, 963 ft. +/- from Rt. 4, and 45 ft. from the center of the stonewall.

Bound # 12

1886

Thence in same course to the highway leading from Enfield to Lovejoy Saw Mill (so called) where we erected a stone monument in said line,

1895

Highway leading from Enfield to Lovejoy Saw Mill (so called)

1902

Highway leading from Enfield to Lovejoy Mills (so called)

1909

Highway leading from Enfield to Lovejoy Mills (so called)

1923

Highway leading form Enfield to Lovejoy Hill

1932

Bound No. 12 - Stone bound on easterly side of Brook road so called south of Whittemore pasture barway.

1939

Bound No. 12 - Stone bound on easterly side of Brook road so called south of Whittemore pasture barway.

1940

Bound No. 12 - Stone bound on easterly side of Brook road so called south of Whittemore pasture bar-way.

2006

Bound No. 12 - Granite Post measuring 8" X 10" X 23" high, lying almost flat to the ground, located on easterly side of Lovejoy Brook Rd. There is a 1 1/4" hollow pipe located 5 ft. away from the granite post, and a 2" hollow pipe located 13 ft. away.

Bound # 13

1886

Thence in same course to highway leading from Enfield by the John Stevens farm to West Farms (so called) where we erected a stone monument in said line,

1895

Highway leading from Enfield to John Stevens farm (so called)

1902

Highway leading from Enfield to John Stevens farm

1909

Highway leading from Enfield to John Stevens farm so called

1923

Highway leading from Enfield to John Stevens farm so called

1932

Bound No. 13 - Stone bound on left side of May St. between Masures and Wilfred Blains going toward Blains.

1939

Bound No. 13 - Stone bound on left side of May St. between Masure's and Wilfred Blain's going toward Blain's.

1940

Bound No. 13 - Stone bound on left side of May St. between Masure's and Wilfred Blain's going toward Blain's.

2006

Bound No. 13 - No monument was located on May St.

Bound # 14

1886

Thence in same course to highway near H. Halls (?) house where we erected a stone monument in said line,

1895

And highway near T. Halls house

1902

Highway leading from Enfield to William Harris farm (so called)

1909

Highway leading from Enfield to William Harris farm (so called)

1923

Highway near F Halls house

1932

Bound No. 14 - Stone bound on Maple St. it being on left side of road between Cross's barn and O. B. Brown farm.

1939

Bound No. 14 - Stone bound on Maple St. it being on left side of road between Cross's barn and O. B. Brown farm.

1940

Bound No. 14 - Stone bound on Maple St. it being on left side of road between Cross's barn and O. B. Brown farm.

2006

Bound No. 14 - granite post measuring 5 1/2" by 12" by 39" high, located on Maple St. (Enfield) and Moose Mountain Rd. (Canaan).

Bound # 15 Enfield/Canaan/Lebanon/Hanover Corner

1875

We began at the northwest and southwest corner of said towns at a post marked E and C 1875. Which is established as the corner bound.

1882

...at a stake in a pile of stones at the southwest corner of Canaan and the northwest corner Enfield.

1886

Thence in same course to a stake and stones which is established corner bound between the towns of Lebanon, Hanover, Canaan and Enfield.

1895

Thence on same course to a stake and stones which is the established corner between the Town of Lebanon Hanover Canaan and Enfield.

And we found the above described bounds all in their established places.

1902

Thence on same course to a stake and stones which is the established corner between the Town of Lebanon Hanover Canaan and Enfield.

And we found the above described bounds all in their established places.

1909

Thence on same course to a stake and stones which is the established corner between the Town of Lebanon Hanover Canaan and Enfield.

And we found the above described bounds all in their established places.

1923

Thence on same course to a stake and stones which is the established corner between the Town of Lebanon Hanover Canaan and Enfield.

And found all bounds in their proper places.

1932

Bound No. 15 - **stone bound** on old road in James Eastman pasture being about 15 rods north-east of said road near a large maple being the corner of Enfield, Canaan, Lebanon and Hanover and marked E.-C.-L.-and H.

1939

Bound No. 15 - stone bound on old road in James Eastman pasture being about 15 rods north-east of said road along a barb wire fence near a large maple and two beech trees being the corner of Enfield, Canaan, Lebanon and Hanover and marked E.-C.-L.-and H.

1940

Bound No. 15 - stone bound on old road in James Eastman pasture being about 15 rods north-east of said road along barbed wire fence near a large maple and two beach trees, being the corner of Enfield, Canaan, Lebanon and Hanover and marked E.-C.-L.-and H.

Meaning that the above described line is a straight line between Canaan and Enfield from stake and stones standing in the westerly line of Grafton to a stake and stones standing in the corners of Lebanon, Hanover, Canaan and Enfield.

2006

Bound No. 15 - a granite post measuring 6" by 7" by 38" high, located at the corner of Enfield/Canaan/Lebanon and Hanover, and is the Northwest corner of Enfield and the southwest corner of Canaan.



BOUND #1

ENFIELD/GRAFTON/CANAAN CORNER

GRANITE POST

SET IN STONE WALL

43" HIGH X 4 1/2" WIDE X 6 1/2" WIDE

NAD 83 Latitude (N) 43⁰ 36' 40.96"

NAD 83 Longitude (W) 72⁰ 1' 11.71"



BOUND #4

POTATO ROAD

HOLLOW PIPE

1 1/2" DIAMETER, 15" HIGH

NAD 83	Latitude (N)	43 ⁰ 34' 53.09"
NAD 83	Longitude (W)	72 ⁰ 2' 44.38"



BOUND #7

ENFIELD/GRAFTON/SPRINGFIELD CORNER

HOLLOW PIPE

SET IN PILE OF STONES

1" DIAMETER, 21" HIGH

NAD 83 Latitude (N) 43⁰ 33' 10.60"

NAD 83 Longitude (W) 72⁰ 04' 11.68"



BOUND #7

ENFIELD/GRAFTON/SPRINGFIELD CORNER

GRANITE POST

WITH DATES CHISELED INTO IT

NAD 83 Latitude (N) 43⁰ 33' 10.60"

NAD 83 Longitude (W) 72⁰ 04' 11.68"

Summary of the Enfield/Grafton Perambulation Reports

Bound #1 Enfield/Grafton/Canaan Corner

1868

Beginning at a hard wood post and stones being the northeast corner of Enfield in Grafton line and marked the same A. L. and J. S. 1868.

1875

Beginning at the northeast corner bound of Enfield and southeast corner of Canaan in Grafton line at a stake and stones marked E 1875 C.L.C. and G 1875 A.S.

1882

Beginning at the northeast corner of said Enfield and Grafton, northwest corner which is a stake standing in stonewall marked 1882

1889

Beginning at a stake set in the wall at the northeast corner of said Enfield and marked E 1889 E. A. W. G. J. H. W. which is established as the corner bound between said towns

1896

Beginning at a stake set in the wall at the northeast of said Enfield and marked E 1896 L. W. C. G. B. F. W. which is established as the corner bound between said towns

1903

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked on the east G T L 1903 on the south E and on the west C which is established as the corner bound of Enfield and Canaan and on the Grafton line.

1910

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked on the east G T L 1910 on the south E and on the west C which is established as the corner bound of Enfield and Canaan and on the Grafton line.

1917

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked E and G 1917 M and B which is established as the corner bound of Enfield and Canaan and on the Grafton line

1924

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked E and G 1924 which is established as the corner bound of Enfield and Canaan and on the Grafton line

1932

Beginning at a stone post set in the ground at a stone wall, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton town line said bound being marked E. G. C.

1939

Beginning at a stone post set in the ground at a stone wall, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton town line said bound being marked E. G. C.

1946

Beginning at a stone post set in the ground at a stonewall it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton line said bound being marked E, G, C:

1958

Beginning at a stone post set in a stone wall, said post marked T L E G C and stone marked 58, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan, and on the Grafton town line;

2007

The granite post is 4.5” by 6.5” by 43” high with multiple strands of barbwire wrapped around it, with the town initials carved into it.

Bound # 2**1958**

Thence southwesterly to an approximate bound consisting of a tree marked T L E G on north side of private road along the east side of Spectacle Pond;

2007

We then followed the same compass bearing S 32⁰ W to the edge of Spectacle Pond. The Town Line crosses a Private Road called Lewin Road, and then crosses the yard of a house/camp just southeast of telephone pole number GSE Co. #9 and NET+T Co. #9. There is no house number attached to this house/camp, but the house/camp next to it is house #102.

In the front yard of house #102, there is a stone post that looks like a town line marker. This post was placed there by the current owner Mr. Snell, as a gate post; it is not a boundary marker.

Bound # 3**1958**

Thence on same course to stake and stones marked T L E G 58 at intersection of stonewalls on north side of Blood Road, so called;

2007

We then followed the red blazes marking the SPNHF Heffenreffer Property boundary line to Blood Road/Goss Lane.

Bound # 4

1932

Stone with pile of stones on the westerly side of the Potato Road leading to Grafton Pond marked T. L.

1939

Stone with pile of stones on the westerly side of the Potato Road leading to Grafton Pond marked T. L.

1946

Stone with pile of stones on the westerly side of the Potato Road leading to Grafton Pond marked T L

1958

Thence on same course to stone with pile of stones on west side of Potato Road leading to Grafton pond marked T L E G 58;

2007

When we reached Potato Road, the Grafton Town Line highway sign was about 15 to 20 feet to the east of where we crossed the road.

Along the westerly side of Potato Road, and at the base of the Grafton Town Line Highway sign, there is a 1.5" hollow pipe, up 15", set in a pile of stones.

Bound # 5

1932

On the northerly side of the road leading from Winship Corner in Enfield to Banks Pinnacle in Grafton a post with pile of stones beside a boulder marked T. L. in the easterly side of the 4th NH Turnpike

1939

Post with stone pile beside a boulder marked T L on the northerly side of the road leading from Winship corner in Enfield to Bank's Pinnacle in Grafton;

1946

on the northerly side of the road leading from Winship corner in Enfield to Bank's Pinnacle in Grafton post with pile of stone beside a boulder marked T L on the easterly side of the Fourth N. H. Turnpike.

1958

Thence on same course stone and pile of stones marked T L E G 58 on north side of road from Winship corner in Enfield to Bank's Pinnacle in Grafton;

2007

No mention

Bound # 6

1939

A post with pile of stones beside a boulder marked T L on the easterly side of the 4th. N. H. Turnpike.

1958

Thence on same course to state sign marked Enfield Grafton on east side of Route U.S. 4A;

2007

We did not locate any kind of marker on either side of Rt. 4A. The Town Line crosses Rt. 4A just south of where the Town Line highway marker is located.

Bound # 7 Enfield/Grafton/Springfield Corner

1868

The line runs north 41 west to a stake and stones in James Jackmans pasture. It being the northeast corner of Enfield in Grafton line and marked the same A. L. and J. S. 1868.

1875

Thence running on said line south 41⁰ west to a stake and stones on the corner of Grafton, on the gore between Grafton and Springfield on Enfield line. Stake marked E. 1875 C.L.C. and G. 1875 A.S. which is established as the southwest corner of Grafton.

1882

Thence south 41⁰ west on line between said town of Springfield corner bound.

1889

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield marked E. 1889 E. A. G. J. H. W.

1896

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E 1896 L. W. C. G. B.F.W. 1896

1903

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E 1903 A. H. J. on the (?) side and G. 1903 (?) on the south side

1910

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E W. F. H. 1910 on the west side and G. 1910 (?) on the south side

1917

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield that we marked E and G 1917 W and B

1924

Thence south 41° west to a stake and stones in the pasture of AH Jackman which is established as the southeast corner of Enfield that we marked E and G 1924

1932

Thence south $46^{\circ} 40'$ west to a post and pile of stones the post being marked E. G. S. and is a corner between the towns of Grafton and Springfield on the Enfield town line

1939

Thence south $47^{\circ} -03'$ west to a post and pile of stones, the post being marked E-G-S, and is a corner between the towns of Grafton and Springfield on the Enfield town line.

1946

thence south west to a post and pile of stones the post being marked E G S and is a corner between the town of Grafton and Springfield on the Enfield town line.

1958

Thence on same course to stake and stone about 5 rods from end of wall in A. Jackman's pasture, this being the northwest corner of Springfield and the westerly corner of Grafton on the Enfield town line, said stake marked T L E G S 1939 1946 58.

2007

This monument is a 1" hollow pipe, 21" high, painted yellow, set in a pile of stones. One of the stones in the stone pile is a rectangular piece of granite, with the numbers 1921, and something else that we were unable to decipher.



BOUND #1

ENFIELD/SPRINGFIELD/GRAFTON CORNER

HOLLOW PIPE

SET IN PILE OF STONES

1" DIAMETER, 21" HIGH

NAD 83 Latitude (N) 43⁰ 33' 10.60"

NAD 83 Longitude (W) 72⁰ 04' 11.68"



BOUND #1


ENFIELD/SPRINGFIELD/GRAFTON CORNER

GRANITE POST

WITH DATES CHISELED INTO IT

NAD 83	Latitude (N)	43 ⁰ 33' 10.60"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 04' 11.68"
--------	---------------	----------------------------



BOUND #4

ENFIELD/SPRINGFIELD/GRANTHAM CORNER

PRESSURE TREATED POST

WITH TOWN NAMES ROUTED INTO IT

6' HIGH X 4" WIDE X 4" WIDE

NAD 83 Latitude (N) 43⁰ 31' 42.97"

NAD 83 Longitude (W) 72⁰ 05' 28.03"

Summary of the Enfield/Springfield Perambulation Reports

Bound #1 Enfield/Springfield/Grafton Corner

1861

... and running on said line north 41^0 east to stake and stones marked E & S 1861 C. L. C. & D. H. P. being the established corner bound between Springfield and Grafton on Enfield line.
(Signed by Samuel Choate Surveyor)

1868

We begun at the corner of Grafton and Springfield on Enfield line it being a spruce stake and marked the (names ?)

1875

... And running on said line north 41^0 east to stake and stone marked E 1875 C.L.C. and G 1875 C.V.P. on Enfield line between Springfield and Grafton.

1882

... and running on the said line north 41^0 east to stake and stones marked 1882 on Enfield line between Springfield and Grafton.

1896

We began at the northeast corner of the town of Springfield at a stake and stones marked E + S which is established bound of said Springfield.

1903

We began at the northeast corner of the Town of Springfield at a stake and stones that we marked C E B 1903, and A H J, E + S which is established as the corner bound of said Springfield.

1910

We began at the northeast corner of said town of Springfield at a stake and stones that we marked 1910 C. E. B. and W. F. H. E + S which is established as the corner bound of said Springfield.

1917

... the line then runs north about 58^0 east to the northeast corner of the town of Springfield at a stake + stones we marked 1917 E. + S. C. B. W. M.

1924

... the line then runs north about 58^0 east to the northeast corner of the town of Springfield at a stake and stone we found marked 1917 E. + S. T. L. B. W. M.

1932

... thence north $47^0 50'$ east to a post and pile of stones it being a corner of the towns of Springfield and Grafton on the Enfield town line said post being marked E. G. S.

1939

Beginning at a post and pile of stones in the pasture of Allen Jackman, it being the corner bound of the towns of Grafton and Springfield on the Enfield line, said post being marked E-G-S.

1957

Met at the northwesterly corner bound of the town of Springfield, at it's junction with the Enfield and Grafton town line: Said bound being a post marked E-S-G & 57, and set amid a pile of stones; it being the terminal of the Enfield-Grafton town line. Said being indicated by various portions of stone wall along the same. Said bound is located on land of the Jackman home farm, and is approximately 450 feet, more or less, northeasterly from the foundation of the old Jackman sugar house.

2006

The Enfield/Springfield and Grafton corner.

It being a 1" hollow pipe, 21" high, set in a pile of stones, with a 90⁰ angled metal plate welded to the top of it. One of the base stones is a rectangular cut stone with 1901 chiseled into it, and C Z or 02 chiseled below it. The GPS reading for this monument was NAD 27, 0736646, 4826183, +/- 14 ft.

Bound # 2**1903**

The stone monuments where the line crosses the highways are up and marked with the letters T L and E. S. and figures 1889.

1910

The stone monuments where the line crosses the highways are up and marked with the letters T L and figures 1910.

1932

Stone on the westerly side of the George Hill Road marked T. L. and 31.

1939

Stone post on the westerly side of the George Hill Road marked T L and 31.

1957

Stone post on the westerly side of the George Hill road, added marks T-L-57

2006

George Hill Rd. - South side of George Hill Rd., broken concrete post lying on the ground.

Bound # 3

1903

The stone monuments where the line crosses the highways are up and marked with the letters T L and E. S. and figures 1889.

1910

The stone monuments where the line crosses the highways are up and marked with the letters T L and figures 1910.

1932

Stone on the easterly side of the new road marked T. L. and 31

1939

Stone on the easterly side of the Bog Road marked T L and 31.

1957

Relocation,- stone slab, marked T L 57 and set in the stone wall along the easterly side of the “New road” at the intersection with another stone wall, marking a property line.

2006

Bog Rd. - South side of Bog Rd., down from bank a 2” hollow pipe, 19” high, painted yellow

Bound # 4 Enfield/Springfield/Grantham Corner

1861

We begun at the southeast corner bound of Enfield and northeast corner of Grantham at stake and stones marked E.G. 1861 **which is established as the corner bound of said towns on Springfield line.**

1868

... Thence south 41° west to the Springfield Road to a stake and stones. Thence on said line to the corner of Enfield and Grantham.

1875

Beginning at the southeast corner bound of Enfield and the northeast corner of Grantham at stake and stones marked E 1868 A.L. and S 1868 A.W. which is the established corner bounds of said towns and Springfield line.

1882

Beginning at the southeast corner bound of Enfield and the northeast corner of Grantham at stake and stone marked E. 1882 J. G. S. and S. 1882 J. H. J. & W. R. which is the established corner bounds of said towns on Springfield line.

1896

The line then runs south about 42° west to the southeast corner of the Town of Enfield adjoining the Town of Grantham to a stake and stones, marked E. S. + G.

1903

The line then runs south about 42^0 west to the southeast corner of the Town of Enfield adjoining the Town of Grantham to a stake and stones, we marked 1903 E + S, and C E B and 1903 E + S and A H J.

1910

The line then runs south about 42^0 west to the southeast corner of the Town of Enfield adjoining the Town of Grantham to a stake and stones, we marked 1910 E + S, and C E B and 1910 E + S and W F H .

1917

We began at the southeast corner of the said town of Enfield adjoining the town of Grantham at a stake and stone that we marked 1917 C + B W. L. M. E. + S. which is established as the corner bound being about 320 (?) paces from highway.

1924

We began at the southeast corner of the said town of Enfield adjoining the town of Grantham at a stake and stone that is marked 1917 L. E. B. + W. L. M. E. + S. which is established as the corner bound of said town of Enfield this bound being about 320 paces from highway
(The bound on the Grantham corner we marked a new stone T. L. E. S. 24)

1932

Beginning at a post and pile of stones the post being marked E. S. G.

1939


Thence running in a southwesterly course to a post in a pile of stones in a wire fence, distance about 40 rods southwesterly of the Bog road so called; said post is the corner of the towns of Enfield and Grantham on the Springfield town line and is marked E-G-S.

1957

The Enfield-Springfield town line continues as an extension of the Grafton-Enfield town Line about south 50^0 west more or less, to a post marked E-G (for Grantham) and S-57, and set amid a pile of stones at a wire fence; and is distant about 800 feet southwesterly from the "New Road" leading from Washburn Corner toward Enfield Center.

2006

The Enfield/Springfield and Grantham corner. It being a 4" X 4" pressure treated post set in a stone pile along a stonewall, with the names of the towns Enfield/Springfield and Grantham routed into it. The GPS reading for this monument was NAD 27, 0735032, 4823409, +/- 13 ft.



BOUND #1

ENFIELD/GRANTHAM/SPRINGFIELD CORNER

PRESSURE TREATED POST

WITH TOWN NAMES ROUTED INTO IT

6' HIGH X 4" WIDE X 4" WIDE

NAD 83 Latitude (N) 43⁰ 31' 42.97"

NAD 83 Longitude (W) 72⁰ 05' 28.03"



BOUND #2

NEAR #16 SHORE DRIVE, EASTMAN VILLAGE

PRESSURE TREATED POST

WITH TOWN NAMES ROUTED INTO IT

6' HIGH X 4" WIDE X 4" WIDE

NAD 83 Latitude (N) 43⁰ 32' 18.26"

NAD 83 Longitude (W) 72⁰ 07' 13.04"



BOUND #3

NEAR COLE POND HIKING TRAIL

CLUSTER OF ROCKS

WITH ORANGE PAINT ON THEM

NAD 83	Latitude (N)	43 ⁰ 33' 12.19"
--------	--------------	----------------------------

NAD 83	Longitude (W)	72 ⁰ 06' 23.68"
--------	---------------	----------------------------



BOUND #3

NEAR COLE POND HIKING TRAIL

CLUSTER OF ROCKS

WITH ORANGE PAINT ON THEM

NAD 83 Latitude (N) 43⁰ 33' 12.19"

NAD 83 Longitude (W) 72⁰ 06' 23.68"



BOUND #3A

OLD ROUTE 10

CONCRETE POST

18" HIGH X 6" WIDE X 6" WIDE

NAD 83 Latitude (N) 43⁰ 34' 05.11"

NAD 83 Longitude (W) 72⁰ 09' 08.49"



BOUND #4

ENFIELD/GRANTHAM/PLAINFIELD CORNER

GRANITE POST

26" HIGH X 6" WIDE X 8" WIDE

NAD 83 Latitude (N) 43⁰ 34' 24.63"

NAD 83 Longitude (W) 72⁰ 10' 10.94"



BOUND #4

ENFIELD/GRANTHAM/PLAINFIELD CORNER

GRANITE POST

26" HIGH X 6" WIDE X 8" WIDE

NAD 83 Latitude (N) 43⁰ 34' 24.63"

NAD 83 Longitude (W) 72⁰ 10' 10.94"

Summary of the Enfield/Grantham Perambulation Reports

1837

An Act to sever a certain tract of land from the town of Grantham and annex the same to Enfield.

Be it enacted by the Senate and House of Representatives in General Court convened. That all that tract of land situated in the northeast corner of the town of Grantham, in the county of Sullivan, which is contained within the following limits, viz: Beginning at the northeast corner of said town of Grantham, thence on the dividing line between said Grantham and Springfield three hundred and eighty three rods to the southeast corner bound of lot No. twenty seven in said Grantham, thence westerly, parallel with the south line of Enfield four hundred and fifty rods, thence northerly parallel with the dividing line between Grantham and Springfield, three hundred and eighty three rods to the south line of said Enfield, to intersect the northwest corner of lot No. fifteen in Grantham, thence easterly on said Enfield south line, to the bound begun at, be and the same is hereby severed from the town of Grantham in the county of Sullivan and annexed to the town of Enfield in the county Grafton, and said territory shall hereafter constitute and be part of said town of Enfield and said county of Grafton.

(The 1882 perambulation was rewritten to match the direction of travel of the 1875 perambulation)

(The 2005 perambulation party did not walk from monument to monument. They drove to the most convenient place to park, and then walk to the monument from the road.)

Kurt Gotthardt, Enfield perambulator

(Kurt Gotthardt spoke with Myron Cummings who was one of the 1990 Grantham Perambulators. Mr. Cummings stated he took the pictures of the Grantham corner monuments during the 1990 perambulation. [Some copies are available at the Grantham Town hall.] Mr. Cummings also stated, sometime in the early 1990's he replaced the "old post" with new 4" X 4" pressure treated post that have the names of the towns routed into them.)

Bound # 1 Enfield/Grantham/Springfield Corner

1854

We began at a stake marked E. G. standing on Springfield line it being the south east corner of Enfield and the north east corner of Grantham

1875

Beginning at stake and stones, stake marked E 1875 C.L.C. and G 1875 M.P.B. standing on Springfield line it being the southeast corner of Enfield and northeast corner of Grantham

1882

... to a stake and stone on land formerly owned by Jeremiah Hersey stake marked (initials) 1875 (initials) 1882

1917

The stake at the southeast corner of Enfield being new Nov 14, 1917 set by C.E Barley and (?) Morse

1918

Starting at the S.W.(?) corner of Enfield and N.E. corner of Grantham being a stake and stone, the stake being new set Nov. 14, 1917 by L.E. Baily and W. L. Morse.

1925

The line standing at the S.W. (?) corner of Enfield and the N.E. corner of Grantham being a stake and stone with a flat stone set up and marked E. on one side and G. on (?) marked by the Selectmen of Enfield and Springfield in the year 1924.

1932

The line standing at the S.W. (?) corner of Enfield and N.E. corner of Grantham and being a stake and stones set in Nov. 1932 by the Selectmen of Springfield and Grantham.

1939

Post with stones about, in wire fence, it being the corner bound of Grantham and Enfield on the westerly line of the town of Springfield. Said post is distant about 800 feet southwesterly from the new road leading from Washburn Corner toward Enfield Center.

1957

Thence, the town line runs about south $49^0-45'$ east or parallel to the southerly line of Enfield to a post with stones about, in a wire fence, it being the corner bound of Grantham and Enfield and on the westerly line of the town of Springfield. Said post is marked E-G-S and is distant about 800 feet southwesterly from the "new road" leading from Washburn corner toward Enfield Center.

2005

4"x4" 6-foot high engraved pine post marker...The marker is located in a fence row with considerable numbers of trees around it. The marker is at the base of a 2-foot diameter White Pine about 12 feet from a maple/spruce twosome that are taller than the surrounding trees.

Bound # 2

1854

Thence running north 58° west to a stake and stones standing on Jeremiah Hersey land

1875

Thence running north 58° west to a stake and stones on land formerly owned by Jeremiah Hersey. Stake marked E + G 1875 C.L.C. + M.P.B.

1882

Thence north 58° west to a stake and stone on land formerly owned by Jeremiah Hersey stake marked (initials) 1875 (initials) 1882

1917

Going to the two bounds near the new road finding them up and in good condition the one near C H (?) farm being new in 1916 set by the Draper Co.

1918

Thence running north 58° west to a stake and stones on the land formerly owned by Jeremiah Hersey, stake being set new in 1916 by Draper Co. marked corner of Enfield and Grantham.

1925

Thence running north 58° to a stake and stones on the land formerly owned by Jeremiah Hersey, stake being set new in 1916 by Draper Co. marked corner of Enfield and Grantham.

1932

Thence running north 58 degrees west to stake and stones on the land formerly owned by Jeremiah Hersey, also a flat stone set up edgewise marked E. on one side and G. on the other side said stake and stones being about 40 ft. east of a high cliff.

1940

Post with stones set by Draper Company in 1925 and marks a corner of Enfield and Grantham. Said post is about 1300 feet easterly from the old Enfield Center-North Grantham Road at the old Strong Place and about 800 feet southwesterly from the intersection of the town line and Strong Brook.

1957

Running by the westerly line of said set-off, about south 50° west (magnetic) to a post surrounded by stones and marked Draper SW cor. E. Said post is about 1300 feet easterly from the ancient Enfield Center-north Grantham Road at the old Strong place and about 800 feet southwesterly from the intersection of this town line and Strong Brook.

2005

Follow the road to 16 Shore Drive. The marker will be next to the road and a large rock on the right side of the road. The marker is an engraved 4"x4" 6 foot engraved pine post

Bound # 3

1854

Thence north 41° east to a birch tree marked E. G. standing on the old line between Enfield and Grantham

1875

Thence north 41° east to a birch tree marked E + G 1875. Standing on the old line Enfield + Grantham

1882

Thence running north 41° east to a birch stump supposing to stand on the old line Enfield + Grantham.

1917

Not being able to find the other two corners

1918

Thence north 41° east to a stake and stones set by Draper Co. in 1916, marked S.W. corner of Enfield, standing in the old line of Enfield and Grantham.

1925

Thence north 41° east to a stake and stones set by Draper Co. in 1916, marked S.W. corner of Enfield, standing in the old line of Enfield and Grantham a flat stone was set beside the above stake and stone marked E on one side and G on one side in the year of 1925, by the Selectmen of Enfield and Grantham.

1932

Thence north 41 degrees east to a stake and stones set by Draper Co. in 1925 marked S.W. corner of Enfield and Grantham.

1940

Post with stones about, standing about 70 feet Northerly of wood road or trail which leads from the "Buffalo Bill" lot in Enfield toward Cole Pond. Said corner bound is about 1/4 mile westerly from the New road leading from Washburn Corner toward Enfield Center and marks the corner between Enfield and Grantham on the old Enfield town line.

1957

Continueing (sic) said town line to a post, marked E. & G. with stones about, standing about 70 feet northerly of the wood road or trail which leads from the "Buffalo Bill" lot on the "New" road in Enfield toward Cole Pond, and about 1/4 mile from said road. Said bound being the northwesterly corner of that portion of the town of Grantham which was set off to the town of Enfield in 18 ().

2005

The maker will be a cluster of orange paint splashed rocks with a 4 inch diameter tree protruding with orange tape on it. (Recommend a new post or rock maker be installed)

Bound #3A

1957

Intermediate mark being a stake and stones, marked T L 57, standing on the westerly side of the ancient road which lead from Enfield Center to North Grantham, and near the R.E.A. service line

Bound # 3B

1925

Thence 58^0 west to a stake and stones standing on the old road leading from Grantham to Enfield Center the stake being set new in 1925 by D. W. Campbell (Selectman of Enfield) and H. A. Howard (Selectman of Grantham)

1957

...on a course about south $49^0-45'$ east, passing an intermediate mark, being a stake with stones on the westerly side of Route #10;

2008

On may 9 2008, Kurt Gotthardt and Jim Taylor (Enfield Director of Community Development) located the Town Line Monument located on Old Route 10.

It is a concrete bound, 18” high X 6” wide X 6” wide.

There are also two 1” iron rods located in the middle of the road and set flush with the pavement, located in front of this concrete bound.

Bound # 4 Enfield/Grantham/Plainfield Corner

1854

Thence north 58^0 west to a stake and stones marked E. and being the N.W. corner of Grantham and S. W. corner of Enfield and S. E. corner of Lebanon and N. E. corner of Plainfield.

(The western side of Grantham was annexed to Plainfield in 1856)

1875

Thence running north 58^0 west to a stone monument marked R.S.H. 1856 on the south. On the east G. + P. on the west standing on Enfield line. It being the established corner bound between Grantham and Plainfield. The northeast corner of Plainfield and north corner of Grantham.

(See section “History of the Enfield/Grantham/Plainfield Town Line Corner Monument”)

1882

Thence north 58^0 west to a stone post marked E on one side G on one side and P on one side besides several other marks. This being the established corner between Grantham and Plainfield. The N.E. corner of Plainfield and the N.W. corner of Grantham.

1917

Not being able to find the other two corners

1918

Thence 58⁰ west to a stone post marked E on one side, G on one side and P on one side with several other marks. This being on the Enfield line and corner bound between Grantham and Plainfield. The N.E. corner of Plainfield and the N.W. corner of Grantham.

1925

Thence west 58⁰ to a stone post marked E on one side, G on one side and P on one side with several other marks. This being on the Enfield line and corner bound between Grantham and Plainfield. The N.E. corner of Plainfield and the N.W. corner of Grantham.

1932

Thence 58 degrees west to a to a stone post marked E. on one side G. on one side and P. on the other side with several other marks, this being on the Enfield line and corner bound between Grantham and Plainfield, the N.E. corner of Plainfield and the N.W. corner of Grantham.

1940

A stone post and pile of stones on land of the Champlain Realty company, said post is marked R.S.H. 56 and is the northeast corner of the town of Plainfield, the Northwest corner of the town of Grantham and is on the southerly line of the town of Enfield.

1957

... at a stone post, amid a pile of stones, marked R.S.H.- 56. Said post is the northeast corner bound of Plainfield; also the northwest corner bound of Grantham and marks the southerly line of the town of Enfield, and is also the division point between certain parcels of land belonging to the Champion-International Company.

2005

The marker is about a 30-inch high stone located in a small clearing with several beechnut trees nearby. The stone marker is identified by a 53 engraved into it. We marked the stone with orange tape as well as the surrounding trees.



BOUND #1

ENFIELD/PLAINFIELD/LEBANON CORNER

GRANITE POST

18 1/2" HIGH X 6 1/2" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 35' 6.94"

NAD 83 Longitude (W) 72⁰ 12' 29.39"



BOUND #1

ENFIELD/PLAINFIELD/LEBANON CORNER

GRANITE POST

18 1/2" HIGH X 6 1/2" WIDE X 7" WIDE

NAD 83 Latitude (N) 43⁰ 35' 6.94"

NAD 83 Longitude (W) 72⁰ 12' 29.39"



BOUND #3

WILLIAM GAGE ROAD

GRANITE STONE

WITH LETTER'S E AND P CHISELED INTO IT

THE LETTER E IS UPSIDE DOWN

NAD 83 Latitude (N) 43⁰ 34' 44.90"

NAD 83 Longitude (W) 72⁰ 11' 15.88"



BOUND #5

ENFIELD/PLAINFIELD/GRANTHAM CORNER

GRANITE POST

26" HIGH X 6" WIDE X 8" WIDE

NAD 83 Latitude (N) 43⁰ 34' 24.63"

NAD 83 Longitude (W) 72⁰ 10' 10.94"



BOUND #5

ENFIELD/PLAINFIELD/GRANTHAM CORNER

GRANITE POST

26" HIGH X 6" WIDE X 8" WIDE

NAD 83 Latitude (N) 43⁰ 34' 24.63"

NAD 83 Longitude (W) 72⁰ 10' 10.94"

Summary of the Enfield/Plainfield Perambulation Reports

Bound # 1 Enfield/Plainfield/Lebanon Corner

1875

Beginning at a post at the southwest corner of Enfield marked L on the north E on the east and P on the south and west sides.

1882

Beginning at the southwest corner of Enfield at a post and stones. The post marked L on the north E on the east and P on the south and west sides.

1896

We began at the southwest corner of Enfield at a post and stones. The post marked L on the North E on the east and P on the south and west sides.

1903

We began at the southwest corner of Enfield at a post and stones. The post marked L on the North E on the east and P on the south and west sides.

1910

Beginning at the S.W. corner of Enfield we renewed the wooden post by setting a granite post marked L on the west, E on the east and P on the south

1924/1925

Met at the southwest corner of Enfield at a post and stone, the post marked L on the north, E on the east, and P on the south and west sides. This post was replaced by a stone post with same marks.

1932

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the south-west bound of the town of Enfield and the south-east bound of the town of Lebanon and marks an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1939

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the southwest corner bound of the town of Enfield and the southeast bound of the town of Lebanon and marks an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1948

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the south-west bound of the town of Enfield and the south-east bound of the town of Lebanon, and marking an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P;

1957

Beginning at a stone post on the northerly side of the traveled highway leading to Methodist Hill, so called, in the town of Enfield, it being the southwest bound of the town of Enfield; also the southeast bound of the town of Lebanon: and also marking an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1965

We found the post at the corner of Lebanon which stood on the northerly side of the road from East Plainfield to Methodist Hill, which stone is a common marker with Enfield and Plainfield had been removed when the road was rebuilt by the town of Lebanon this year. We reset it on the line with the stonewall between the towns of Lebanon and Enfield at the top edge of the bank beside said road to Methodist Hill.

1972

We found the post standing at the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. It is a stone post set in concrete and lies on the northerly side of the road leading from East Plainfield to Methodist hill. It is marked P, L and E and is directly opposite Pole No. 4262 of the Grafton County Electric Power and Light Co., now Granite State Electric Co. it is also at the southwest corner of the house lot of Ralph Young. We marked the said post "72"... and proceeded to follow the line along a bearing of south 49 degrees 45 minutes east (magnetic). The line follows the centerline of that road called by the Plainfield selectmen "Methodist Hill Road" and the Enfield selectmen "Plainfield Road."

1990

We came to the property currently owned by Ralph Young on the northerly side of Methodist Hill Rd. We found the stone in the southwest corner of the property, near Methodist Hill Rd directly across the road from Granite State Electric Pole #19. The stone is a granite marker set in concrete, marking the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. The stone is marked P, L, & E or the corresponding municipalities. We marked the stone with a "90".

1998

From the Plainfield Lebanon line we proceeded up Methodist Hill Rd in the direction of the four corners until we came to the property formerly owned by Ralph Young currently owned by the Waugh Family on the northerly side of Methodist Hill Rd. We found the stone in the southwest corner of the property, near Methodist Hill Rd. directly across the road from Granite State Electric Pole #19. The stone is a granite marker set in concrete, marking the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. The stone is marked P, L, & E for the corresponding municipalities. We marked the stone with a "98".

2006

Stone #1 is a Granite Post, measuring 6 1/2" by 7" by 18 1/2" high.

The GPS coordinates for this monument are 43⁰ 35' 07" N, 72⁰ 12' 29" W
WGS 84 Datum / NAD 83.

Bound # 2

1972

It was decided and agreed that this day we would establish as permanent markers three stones. These we designated as markers No. 2, No. 3 and No. 4 along said line.

Stone No. 2 is a round boulder situated on the north side of the road about 100 feet east of the road into the Sears place so-called. The boulder lies adjacent to an iron pin set in the ground next to a young maple tree and is at the end of a low stonewall. We marked this stone "E" and "P" and "72".

1990

Stone #2: From stone #1 the town line(s) follow up the center of Methodist Hill Rd through the four corners on a bearing of south 66 degrees 41 minutes east (true north). Stone #2, a large round boulder was located 100 ft east of the drive to the Sears Residence so called on the northerly side of the road. The marker lays some 25 ft. from the center of the road on top of an earthen mound. A stone cairn was established at this location to further mark the stone. Said cairn is adjacent to a 14" maple with an iron pipe driven into its base. For additional identification, stone #2 lies almost directly underneath power lines crossing Methodist Hill Rd from Granite State Pole #42/38.

1998

Stone #2: From stone #1 the town line(s) follow up the center of Methodist Hill Rd through the four corners on a bearing of south 66 degrees 41 minutes east (true north). Stone #2, a large round boulder was located 100 ft east of the drive to the Sears Residence so called on the northerly side of the road. The marker lays some 25 ft from the center of the road on top of an earthen mound. We located the stone cairn established at this location to further mark the stone. Said cairn is adjacent to a 18" maple with an iron pipe driven into its base. For additional identification, stone #2 lies almost directly underneath power lines crossing Methodist Hill Rd from Granite State Pole #42/38. We freshened the stone with a "98".

2006

The GPS coordinates for this monument are 43⁰ 34' 46" N, 72⁰ 11' 18" W
WGS 84 Datum / NAD 83.

Bound # 3

1972

Stone No. 3 is a piece of native stone about two feet high set on a mound of dirt on the southeasterly side of the road as it swings northeasterly into Enfield, leaving the magnetic course noted above. A drainage cutout is situated just to the northeast of the said stone, which is also witnessed by a spruce tree about nine inches thick. We marked this "E" and "P" and "72". Through mistake the "E" was chiseled upside down on the said stone.

1990

Stone # 3: Is a piece of native stone located at the center of a stone cairn with a P and E chiseled into it. This stone is within site of stone # 2 and lies some 60 ft. east of a drainage culvert on the south side of said Methodist Hill Rd. Stone # 3 lies within 15 ft. of the traveled way of said Rd. We renewed the marks on stone # 3 and chiseled a "90" into it.

1998

Stone # 3: Is a piece of native stone located at the center of a stone cairn with a P and E chiseled into it. This stone is within site of stone # 2 and lies some 60 ft. east of a drainage culvert on the south side of said Methodist Hill Rd. Stone # 3 lies within 15 ft. of the traveled way of said Rd. We renewed the marks on stone # 3 and chiseled a "98" into it.

2006

The GPS coordinates for this monument are $43^{\circ} 34' 45''$ N, $72^{\circ} 11' 16''$ W
WGS 84 Datum / NAD 83.

Bound # 4

1972

Stone No. 4 is a flat-topped stone about two feet across at its top situated on a bank on the east side of the road as it swings south back into Plainfield. It lies on the line of an old stonewall which is bisected by the road and which extends easterly up to the summit of Methodist Hill, forming part of the boundary. This stone lies in an area of pruned young pine trees. We marked this stone "E" and "P" and "72" and laid up a small cairn of stones 6 feet to the east of it.

1990

Stone # 4: Is a flat-topped stone about two feet across at its top situated on a bank on the east side of the road as it swings south back into Plainfield toward the Backofen residence. The stone lies on the line of an old stonewall which is bisected by Methodist Hill Rd. and which extends easterly up towards the summit of Methodist Hill forming part of the boundary. We renewed the marks on the stone adding a "90". Six feet to the east of this stone lies a stone cairn further identifying its location. A yellow iron pipe placed during the recent Backofen survey further marks the spot.

1998

Stone # 4: Is a flat-topped stone about two feet across at its top situated on a bank on the east side of the road as it swings south back into Plainfield toward the Backofen residence. The stone lies on the line of an old stonewall which is bisected by Methodist Hill Rd. and which extends easterly up towards the summit of Methodist Hill forming part of the boundary. We renewed the marks on the stone adding a "98". Six feet to the east of this stone lies a stone cairn further identifying its location. A yellow iron pipe placed during the 1990 Backofen survey continues to further mark the spot.

2006

Next to Stone #4 is a 2" hollow pipe, 7" above ground, and painted yellow. The GPS coordinates for this monument are 43⁰ 34' 44" N, 72⁰ 11' 9" W WGS 84 Datum / NAD 83.

Bound # 5 Enfield/Plainfield/Grantham Corner

1875

Thence south 41° east. To a stone post marked R.H.S. 1856 on the south, G on the east, P on the west. It being the northeast corner of Plainfield and the northwest corner of Grantham.

1882

Thence south 41° east to a stone post marked (R S H 1856) on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northeast corner of Grantham (on the Enfield line).

1896

Thence south 41° east to a stone post marked R S H 1856 on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northwest corner of Grantham on the Enfield line.

1903

Thence south 41° east to a stone post marked R S H 1856 on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northwest corner of Grantham on Enfield line.

1910

Thence S 41° E to a stone post marked R. H. 1856 on the south G on the east, P on the west and E on the north it being the northeast corner of Plainfield and the north west corner of Grantham on Enfield line.

1924/1925

Thence south 41° east to a stone post marked R. S. H 1856 on the south, G on the east, P on the west, E on the north. It being the northeast corner of Plainfield and the northwest corner of Grantham on the Enfield Line.

1932

Thence south $52^{\circ} 40'$ east to a stone post and pile of stones on land of the Champlain Realty Company, said post is marked R.S.H. 56 and is the north-east corner of Plainfield, the north-west corner of Grantham and is on the southerly line of Enfield.

1939

Thence in a straight line to a stone post and pile of stones on land of the Champlain Realty Company, said post being marked R.S.H. 56 and is the northeast corner of Plainfield, the northwest corner of Grantham and is on the southerly line of Enfield.

1948

Thence south $50^{\circ} 40'$ east to a stone post and pile of stones on land of the Champlain Realty Company, said post being marked R.S.H. 56 and is the north-east corner of Plainfield, the north-west corner of Grantham and on the southerly line of Enfield.

1957

Thence south about $49^{\circ} 45'$ east (magnetic) to a stone post and a pile of stones, on land of the Champlain Realty Company, now or formerly, said post is marked R.S.H.- 56 and is the northeast corner of the town of Plainfield, and also the northwest corner of the town of Grantham, and on the southerly line of the town of Enfield.

1965

Thence the line runs south about $49^{\circ} 45'$ east (magnetic) to a stone post and a pile of stones, on land now or formerly of the Champlain Realty Co. This post is marked R.S.H.-56 etc.; we also marked it 65. This stone is the northeast corner of the town of Plainfield, and also the northwest corner of the town of Grantham, and stands on the southerly line of the town of Enfield.

1972

We then proceed by car... to the North Grantham exit, ...turned north onto the old Route 10... We proceeded to follow the logging road up the steep bank, crisscrossing the brook on several occasions. Eventually we came to a swampy area flooded by beaver. We walked around the south edge of the beaver pond, coming to a large maple tree with a gray stone and a white quartz stone resting against its foot, the location being noted in the record of the perambulation of the Plainfield –Grantham town line in 1967. From this point proceeded along a rough azimuth of 330 degrees, following a line of blazed trees. Continuing in the general direction, the stone was found about one third of the way up the hill.

This stone is a gray upright piece of stone surrounded small stones, and stands about two feet high and is witnessed by a tall birch on which are carved “53” and “VH”. We marked this stone “72” amongst a great many initials and numerals from previous perambulations.

1990

Stone # 5: We followed the stonewall adjacent to stone # 4 to the top of Backofen’s field where another stonewall diverged perpendicularly to the south. Continuing to follow the wall into the woods on a bearing of approximately 129 degrees east of north (magnetic) for a couple hundred yards we crossed a woods road where it passed through the wall. A couple hundred feet beyond, the wall ended abruptly under a large ash stump.

Continuing uphill along the stated line, noting occasional remnants of an old fence line, we past a thin flat rock, two by three feet square, leaning against the south side of a twelve inch diameter spruce tree about thirty feet in front of a large outcropping of ledge. We scrambled over the ledge, and continued along the boundary through an area of dense young spruce. As we crossed the shoulder of the hill below the abandoned tower we encountered a yard square section of exposed white ledge marked by a yellow painted iron pipe that had been placed by the recent surveyors of the Backofen property to mark a corner.

Starting downhill along the boundary we were forced to circumvent a beaver pond, ... we passed through additional swampy areas. The boundary marker was found on the side hill with another pond just visible through the trees 1/8 to 1/4 mile below.

The stone is a gray upright piece of stone surrounded by smaller stones, standing about two feet high and is witnessed by a tall birch on which are carved “53” and “VH”. We noted that the birch is now dead, and may not survive intact until the next perambulation. Several initials of members

of past perambulations are carved on adjacent trees as well. We renewed the marks on stone # 5, adding a "90".

1998

Stone # 5: We followed the stonewall adjacent to stone # 4 to the top of Backofen's field where another stonewall diverged perpendicularly to the south. Continuing to follow the wall into the woods on a bearing of approximately south 66 degrees 41 minutes east (true north) for a couple hundred yards we crossed a woods road where it passed through the wall. A couple hundred feet beyond, the wall ended abruptly under a large ash stump.

Continuing uphill along the stated line, noting occasional remnants of an old fence line, we past a thin flat rock, two by three feet square, leaning against the south side of a eighteen inch diameter spruce tree about thirty feet in front of a large outcropping of ledge. We scrambled over the ledge, and continued along the boundary through an area of dense young spruce. As we crossed the shoulder of the hill below the abandoned tower we encountered a yard square section of exposed white ledge marked by a yellow painted iron pipe placed there in 1990 by the surveyors of the Backofen property to mark a corner.

Starting downhill along the boundary we were forced to circumvent a beaver pond, ... we passed through additional swampy areas. The boundary marker was eventually found on the side hill as previously noted in earlier perambulations. However, the surroundings have been significantly altered from earlier writings. The marker was surrounded by downed trees. The stone is a gray upright piece of stone surrounded by smaller stones, standing about two feet high.

The stone lies about two thirds the way up the side hill with a pond just visible down through the trees. Standing at the stone looking beyond the pond to the horizon a distinctive notch or saddle is visible in the ridge line.

2006

We then followed the stonewall until it ended, a 1 1/2" hollow pipe, 12" above ground, and painted yellow was found just beyond the end of the wall.

We then proceed to follow a compass bearing S 66⁰ E to a 1 3/4" hollow pipe, 21" above ground, and painted yellow.

The GPS coordinates for this monument are 43⁰ 34' 36"N, 72⁰ 10' 47" W
WGS 84 Datum / NAD 83.

We then continued on a compass bearing S 66⁰ E to a large beaver pond. As a side note, a stick built birds nest was noticed in a dead snag along the northern edge of this beaver pond. The compass bearing was lost as we walked around the southern side of this beaver pond.

We followed a general compass bearing until we found the stone monument marking the Enfield / Plainfield / Grantham common corner, known as stone #5.

Stone #5 is a Granite Post, measuring 8" by 6" by 26" high.

A 1" rebar 17" above ground, and painted yellow is next to this monument.

The GPS coordinates for this monument are 43⁰ 34' 25" N, 72⁰ 10' 11" W
WGS 84 Datum / NAD 83.

History of the Enfield/Lebanon/Plainfield Corner Monument

1761 Enfield Charter

beginning at the south-east corner of Lebanon...

1781 Report of Committee on Town Lines

That the southeasterly corner boundary of Lebanon which is likewise the southwesterly corner boundary of Enfield alias Relhan **commonly called Sumners bound - is a fixed known & true boundary.**

1786 Establishing the Line Between Lebanon And Enfield

firstly began at a white Pine tree marked on the easterly bank of Conacutt River which is caled the agreement tree between s^d Lebanon and Plainfield and thence mesured easterly on the line between s^d Lebanon and Plainfield six milds to a stake and stone commonly known by the name of Sumners Bound

1847 Enfield/Lebanon

South/east corner bound of Lebanon and the south/west corner of Enfield. Which we renewed.

1854 Enfield/Lebanon

Begin at a stake and stones being the south/east corner of Lebanon and the south/west corner of Enfield and **erected a pine post in the place where the old one stood and marked the same L.E. [names] 1854 which is established as the corner of said towns. [Signed by a surveyor]**

1854 Plainfield/Lebanon

Beginning at the southeast corner of Lebanon and northeast corner of Plainfield

1861 Enfield/Lebanon

Beginning at a pine post and stones being the south/east corner of Lebanon and the south/west corner of Enfield and marked the same [names] 1861 which is established as the corner of said towns.

1861 Plainfield/Lebanon

Beginning at the southeast corner of Lebanon at a pine post standing in the north line of said Plainfield marked L and (initials) 1861 also marked P and (initials) 1861

1868 Enfield/Lebanon

Beginning at a pine post and stones being the south/east corner of Lebanon and south/west corner of Enfield and marked the same [names] 1868 which is established as the corner of said towns.

1875 Enfield/Lebanon

Beginning at a pine post and stones being the south/east corner of Lebanon and the south/west corner of Enfield and marked the same [names] 1875 which is established as the corner of said towns.

1875 Enfield/Plainfield

Beginning at a post at the southwest corner of Enfield marked L on the north E on the east and P on the south and west sides.

1882 Enfield/Lebanon

Met at the south/east corner of Lebanon and the south/west corner of Enfield being a post and stones.

1882 Enfield/Plainfield

Beginning at the southwest corner of Enfield at a post and stones. The post marked L on the north E on the east and P on the south and west sides.

1889 Enfield/Lebanon

At the south/east corner of Lebanon and the south/west corner of Enfield said corner being a post and stones.

1896 Enfield/Plainfield

We began at the southwest corner of Enfield at a post and stones. The post marked L on the North E on the east and P on the south and west sides.

1903 Enfield/Lebanon

Beginning at a post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E with various other marks.

1903 Enfield/Plainfield

We began at the southwest corner of Enfield at a post and stones. The post marked L on the North E on the east and P on the south and west sides.

1910 Enfield/Plainfield

Beginning at the S.W. corner of Enfield we renewed the wooden post by setting a granite post marked L on the west, E on the east and P on the south

1910 Enfield/Lebanon

Beginning at a granite post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E with various other marks.

1910 Plainfield/Lebanon

Beginning at the southeasterly corner of Lebanon at a granite post marked E on the east, L on the north, and P on the south standing on the northerly line of Plainfield

1917 Enfield/Lebanon

Beginning at a granite post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E **and an iron pin in the top of said post.**

1924 [typed print] Enfield/Lebanon

Beginning at a granite post and stones in the south/east corner Lebanon and the south/west corner of Enfield, said post marked L+E and an iron pin in the top of said post.

1924/1925 Enfield/Plainfield

Met at the southwest corner of Enfield at a post and stone, the post marked L on the north, E on the east, and P on the south and west sides. This post was replaced by a stone post with same marks.

1931 Plainfield/Lebanon

Beginning at the south easterly corner of Lebanon at a granite post with an iron pin in the top, standing in the northerly line of Plainfield

1932 Enfield/Plainfield

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the south-west bound of the town of Enfield and the south-east bound of the town of Lebanon and marks an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1938 Plainfield/Lebanon

Beginning at the southeasterly corner of Lebanon at a granite post with an iron pin in the top standing in the northerly line of Plainfield

1939 Enfield/Plainfield

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the southwest corner bound of the town of Enfield and the southeast bound of the town of Lebanon and marks an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1939 Plainfield/Enfield

Beginning at the south west corner of Enfield at a stone post marked L. on north, E. on the east and P. on the south and west sides

1948 Enfield/Plainfield

Beginning at a stone post on the northerly side of the traveled highway leading from Plainfield to Methodist Hill in the town of Enfield, it being the south-west bound of the town of Enfield and the south-east bound of the town of Lebanon, and marking an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P;

1957 Enfield/Plainfield

Beginning at a stone post on the northerly side of the traveled highway leading to Methodist Hill, so called, in the town of Enfield, it being the southwest bound of the town of Enfield; also the southeast bound of the town of Lebanon: and also marking an angle in the northerly line of the town of Plainfield, said post being marked with the letters E-L-P:

1965 Enfield/Plainfield

We found the post at the corner of Lebanon which stood on the northerly side of the road from East Plainfield to Methodist Hill, which stone is a common marker with Enfield and Plainfield had been removed when the road was rebuilt by the town of Lebanon this year. We reset it on the line with the stone wall between the towns of Lebanon and Enfield at the top edge of the bank beside said road to Methodist Hill.

This stone is the southwest bound of the town of Enfield and also the southeast bound of the town of Lebanon; and it also marks an angle in the northerly line of the town of Plainfield.

1967 Plainfield/Lebanon

Beginning at the southeasterly corner of Lebanon at a granite post standing in the northerly line of Plainfield

1972 Enfield/Plainfield

We found the post standing at the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. **It is a stone post set in concrete** and lies on the northerly side of the road leading from East Plainfield to Methodist hill. It is marked P, L and E and is directly opposite Pole No. 4262 of the Grafton County Electric Power and Light Co., now Granite State Electric Co. it is also at the southwest corner of the house lot of Ralph Young. We marked the said post "72"

1990 Enfield/Plainfield

Stone #1: We came to the property currently owned by Ralph Young on the northerly side of Methodist Hill Rd. We found the stone in the southwest corner of the property, near Methodist Hill Rd directly across the road from Granite State Electric Pole #19. The stone is a granite marker set in concrete, marking the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. The stone is marked P, L, & E or the corresponding municipalities. We marked the stone with a "90".

1998 Enfield/Plainfield

Stone # 1: From the Plainfield Lebanon line we proceeded up Methodist Hill Rd in the direction of the four corners until we came to the property formerly owned by Ralph Young currently owned by the Waugh Family on the northerly side of Methodist Hill Rd. We found the stone in the southwest corner of the property, near Methodist Hill Rd directly across the road from Granite State Electric Pole #19. The stone is a granite marker set in concrete, marking the southeast corner of the City of Lebanon and the southwest corner of the Town of Enfield. The stone is marked P, L, & E or the corresponding municipalities. We marked the stone with a "98". As described in the 1972 and 1990 perambulations.

2005 Enfield/Lebanon

Bound #1 (Corner): On north side of Methodist Hill Rd., at junction of Enfield, Lebanon, & Plainfield boundaries, an iron pin in granite post set on concrete pad. Post has beveled top with chiseled "L" on north side and chiseled "E" on south side. No "P" visible. Post appears to have been reset 90 degrees off of proper orientation (perhaps when set in concrete?). Newer, roughly carved "E" and "L" appear on east and west sides, respectively, of same post. Exposed post measures 18.5" from concrete base to top, and is 7" x 6.5" around. Plug-and-feather stonecutting method evident: round holes were drilled every 6" or so along break line.

2006 Enfield/Plainfield

Stone #1 is a Granite Post, measuring 6 1/2" by 7" by 18 1/2" high.
The GPS coordinates for this monument are 43° 35' 07" N, 72° 12' 29" W
WGS 84 Datum / NAD 83.

History of the Enfield/Lebanon/Hanover/Canaan Corner Monument

1761 Enfield Charter

to the north-east corner of Lebanon;

1781 Report of Committee on Town Lines

to a **Birch Stump** which is the corner of Lebanon—Enfield and Canaan

1786 Establishing the Line Between Lebanon And Enfield

a bound standing at the northeasterly corner of s^d Lebanon **comonnly known by the name of the Birch tree, but s^d tree being fell down a stake and stons eracted in the place whare said Birch tree stood;**

1800 Lebanon/Hanover

To the northeast corner bound of Lebanon and the southeast corner of Hanover which is a stake and stones. The stake is marked on the westerly side H + CC and on the southerly side L. 1800. TW. GB + C.

1847 Enfield/Lebanon

To the charter bound, being the north/east corner of Lebanon and the north/west corner of Enfield being a stake and stones marked L+E.

1854 Enfield/Lebanon

To an oak stake with stones about it being the north/east corner of Lebanon and the north/west corner of Enfield and marked L.E. W.G.P. U.P. 1854. **[Signed by a surveyor.]**

1861 Enfield/Lebanon

To an oak stake and stones around it being the north/east corner of Lebanon and the north/west corner of Enfield at which corner of said towns **we erected a cedar post and marked the same [names] L.+ E. 1861.**

1861 Lebanon/Hanover

To a cedar post with stones around it marked [names] 1861, being the north-east corner of Lebanon and south-east corner of Hanover.

1868 Enfield/Lebanon

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield and we marked said cedar post [names] 1868.

1875 Enfield/Lebanon

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield.

1875 Enfield/Canaan

We began at the northwest and southwest corner of said towns at a post marked E and C 1875. Which is established as the corner bound.

1875 Lebanon/Hanover

To a cedar post, marked, standing at the S.E. corner of Hanover and the N.E. corner of Lebanon.

1882 Enfield/Lebanon

To the north/east corner of Lebanon and the north/west corner of Enfield.

1882 Enfield/Canaan

...at a stake in a pile of stones at the southwest corner of Canaan and the northwest corner of Enfield.

1886 Enfield/Canaan

Thence in same course to a stake and stones **which is established corner bound between the towns of Lebanon, Hanover, Canaan and Enfield.**

1889 Enfield/Lebanon

To a cedar post and stones being the north/east corner of Lebanon and the northwest corner of Enfield.

1889 Canaan/Hanover

Thence running south 45⁰ west to a stake standing in a pile of stones at the south west corner of Canaan and the south east corner of Hanover

1895 Canaan/Enfield

Thence in same course to a stake and stones which is the established corner between the towns of Lebanon Hanover Canaan and Enfield.

1896 Lebanon/Hanover

To a split stake and heap of stones standing in the north east corner of Lebanon and south east corner of Hanover.

1902 Canaan/Enfield

Thence in same course to a stake and stones which is the established corner between the towns of Lebanon Hanover Canaan and Enfield.

1903 Enfield/Lebanon

Across said lake to a cedar post supported by a spruce stake and surrounded by stones. Standing in the north/east corner of Lebanon and the north/west corner of Enfield marked L+E with various other marks. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a fence and a large [maple], oak tree.

1903 Canaan/Hanover

Beginning at a stake standing in a pile of stone at the south west corner of the town of Canaan and the south east corner of the town of Hanover

1908 Lebanon/Hanover

“Record of setting stone bounds on line between Hanover and Lebanon”

On Friday December fourth 1908 C. S. Ford for the town of Lebanon and D. S. Bridgman for the town of Hanover erected a bound the same as above described. {Said bound being about six inches square and six feet long. A V [chisled] sunk letter L about four inches high being on the south side and a V [chiseled] sunk letter H of the same size being on the north side of said bound.} At the southeast corner of the town of Hanover and the northeast corner of the town of Lebanon.

1909 Canaan/Enfield

Thence in same course to a stone post which is the established corner between the town of Lebanon, Hanover, Canaan + Enfield\

1910 Enfield/Lebanon

Across said lake **to a granite post marked L, H, C, E**, standing in the north/east corner of Lebanon and the north/west corner of Enfield. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a fence and a large maple tree.

1910 Lebanon/Hanover

To a granite post marked L and H standing in the northeasterly corner of Lebanon and the southeasterly corner of Hanover and being the established corner bound of the four towns. Hanover, Canaan, Enfield, and Lebanon. Said bound stands near a board fence and a large Maple tree.

1917 Enfield/Lebanon

Across Mascoma Lake to a granite post marked L, H, C, E, standing in the north/east corner of Lebanon and the north/west corner of Enfield. And being the established corner of the four towns Lebanon, Enfield, Canaan, and Hanover. Said bound stands near a board fence and a large maple tree.

1917 Lebanon/Hanover

To a granite post marked L and H standing in the north easterly corner of Lebanon, and the south easterly corner of Hanover: and being the established corner bound of the four towns, Hanover, Canaan, Enfield and Lebanon, said bound stands near a board fence and a large maple tree.

1923 Canaan/Enfield

Thence in same course to a stake and stone which is the established corner between the towns of Lebanon and Hanover, Canaan, and Enfield.

1924 Enfield/Lebanon

Across Mascoma Lake to a granite post marked L. H. C. E. standing in the north/east corner of Lebanon and the north/west corner of Enfield and being the established corner of the four towns, Lebanon, Enfield, Canaan, and Hanover, said bound stands near a board fence and a large maple tree.

1924 Canaan/Hanover

We began at a stone post marked H. L. E + C. being the southeast corner of Hanover and the southwest corner of Canaan Being also the northeast corner of Lebanon and the northwest corner of Enfield.

1931 Canaan/Hanover

We began at a stone marked H. L. E. + C. being the southeast corner of Hanover, + the southwest corner of Canaan being also the northeast corner of Lebanon + the northwest corner of Enfield

1932 Enfield/Canaan

Bound No. 15 - stone bound on old road in James Eastman pasture being about 15 rods north-east of said road near a large maple being the corner of Enfield, Canaan, Lebanon and Hanover and marked E.-C.-L.-and H.

1939 Enfield/Canaan

Bound No. 15- stone bound on old road in James Eastman pasture being about 15 rods north-east of said road along barbed wire fence near a large maple and two beach trees, being the corner of Enfield, Canaan, Lebanon and Hanover and marked E.-C.-L.-and H.

2005 Enfield/Lebanon

Bound #10 (as described in 1910, 1917, and 1924): At elevation 395m, located stone pile with plug-and-feather granite post, 6" by 7" around and measuring 38" high. Carved "H" and "C" appear on appropriate sides for Hanover and Canaan, respectively. Carved "L" for Lebanon appears on wrong side, above "E" for "Enfield", which is on appropriate side of post. Overall, letters "L" and "H" appear to be more recent.

2006 Enfield/Canaan

This monument is described in the 1940 perambulation report as bound No. 15. It is a granite post measuring 6" by 7" by 38" high, and is the Northwest corner of Enfield and the southwest corner of Canaan, located at the corner of Enfield/Canaan/Lebanon and Hanover.

History of the Enfield/Canaan/Grafton Corner Monument

1781 Report of Committee on Town Lines

to a Spruce tree mark^d as aforesaid ...and is the northeasterly corner of Enfield Alias Relhan and the southeasterly corner of Canaan

1858 Grafton/Canaan

To a stake marked (initials) 1858 at the southeast corner of Canaan and northeast corner of Enfield

1868 Grafton/Enfield

Beginning at a hard wood post and stones being the northeast corner of Enfield in Grafton line and marked the same A. L. and J. S. 1868.

1868 Grafton/Canaan

To a stake marked G and C at the southeast corner of Canaan and the northeast corner of Enfield

1875 Enfield/Canaan

to a stake standing on Grafton line marked E and C 1875.

1875 Enfield/Grafton

Beginning at the northeast corner bound of Enfield and southeast corner of Canaan in Grafton line at a stake and stones marked E 1875 C.L.C. and G 1875 A.S.

1875 Grafton/Canaan

We began at the corner of Enfield Canaan and Grafton at a stake and stones marked with numerous letters and dated 1875 which is established as the corner

1882 Enfield/Canaan

to a stake standing in the wall on the Grafton line at the southeast corner of Canaan and northeast corner of Enfield. Both of said stakes are marked 1882 and various letters.

1882 Enfield/Grafton

Beginning at the northeast corner of said Enfield and Grafton northwest corner which is a stake standing in stonewall marked 1882

1882 Grafton/Canaan

To a stake and stones standing at the northeast corner of Enfield and marked with numerous marks and dates

1886 Survey and establishment of line between Enfield & Canaan

By agreement the selectmen of Canaan and Enfield met at Black water Bridge in Canaan on thirteenth day of December 1886 and proceeded to perambulate the line between said towns and erect permanent stone monuments at all points in said line where a highway passes from one of said towns to the other and establish the same as follows.

Beginning at Grafton hill station (described in above survey of said line by C.M. Pattee surveyor) at a locus stake marked or spotted on north south and west sides with stones piled around said stake;

Thence N 52 3/4⁰ W to a stake and stones standing in the westerly line of Grafton, and established as the east bound between Canaan and Enfield,

1889 Grafton/Enfield

Beginning at a stake set in the wall at the northeast corner of said Enfield and marked E 1889 E. A. W. G. J. H. W. which is established as the corner bound between said towns

1889 Canaan/Grafton

To a stake and stones standing at the north east corner of Enfield

1889 Grafton/Canaan

To a stake and stones standing at the northeast corner of Enfield

1895 Canaan/Enfield

Beginning at Grafton Hill Station at a locust stake marked or spotted on both sides.

1896 Grafton/Enfield

Beginning at a stake set in the wall at the northeast of said Enfield and marked E 1896 L. W. C. G. B. F. W. which is established as the corner bound between said towns

1896 Canaan/Grafton

To a stake and stones standing at he north east corner of Enfield

1896 Grafton/Canaan

To a stake and stones standing at the northeast corner of Enfield and marked G 1896 B.F.W. C 1889 [initials]

1902 Canaan/Enfield

Beginning at Grafton Hill Station at a locus stake marked or spotted on both sides

1903 Grafton/Enfield

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked on the east G T L 1903 on the south E and on the west C which is established as the corner bound of Enfield and Canaan and on the Grafton line.

1903 Canaan/Grafton

To a stone post standing at the north east corner of Enfield marked T L 1903 G on east side C on west + E on south side, said stone post standing four feet east of original bound which stood in center of stone wall.

1909 Canaan/Enfield

Beginning at Grafton Hill Station and at a stone post in the wall about 40 rods north easterly from Awah Stevens barn.

1910 Grafton/Enfield

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked on the east G T L 1910 on the south E and on the west C which is established as the corner bound of Enfield and Canaan and on the Grafton line.

1910 Canaan/Grafton

To a stone post standing at the north east corner of Enfield marked T L 1909 + 1910 G on east side C on west + E on south side **standing in center of stone wall.**

1917 Grafton/Enfield

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked E and G 1917 M and B which is established as the corner bound of Enfield and Canaan and on the Grafton line

1922 Canaan/Grafton

To a stone post at the north east corner of Enfield

1922 Grafton/Canaan

To a stone post at the northeast corner of Enfield.

1924 Canaan/Enfield

Met at Grafton Hill Station so called being the corner between Canaan and Enfield, being a stone post marked on both sides

1924 Grafton/Enfield

Beginning at a stone post set in the ground about four feet east from the stone wall where the original bound should be at the north east corner of said Enfield and marked E and G 1924 which is established as the corner bound of Enfield and Canaan and on the Grafton line

1932 Grafton/Enfield

Beginning at a stone post set in the ground at a stone wall, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton town line said bound being marked E. G. C.

1932 Canaan/Grafton

To a stone post at the northeast corner of Enfield.

1932 Grafton/Canaan

To a stone post at the northeast corner of Enfield.

1939 Enfield/Grafton

Beginning at a stone post set in the ground at a stone wall, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton town line said bound being marked E. G. C.

1939 Enfield/Canaan

Bound No. 1- Beginning at a stone post set in the ground it being the north easterly corner of Enfield and the south-easterly corner of Canaan and on the Grafton town line said bound being marked E.-G.-and C;

1946 Enfield/Grafton

Beginning at a stone post set in the ground at a stonewall it being the northeasterly corner of Enfield and the southeasterly corner of Canaan and on the Grafton line said bound being marked E, G, C:

1958 Enfield/Grafton

Beginning at a stone post set in a stone wall, said post marked T L E G C and stone marked 58, it being the northeasterly corner of Enfield and the southeasterly corner of Canaan, and on the Grafton town line;

1958 Grafton/Canaan

Thence on same course to a stone post set in a stone a wall, said post marked T L E G C and stone marked 58, it being the northeast corner of Enfield and southeast corner of Canaan on the Grafton town line.

2006 Enfield/Canaan

This monument is described in the 1940 perambulation report as bound No. 1. It is a granite post measuring 4.5" X 6.5" X 43" high, and is located in a stonewall that runs along the Enfield/Grafton and the Canaan/Grafton town lines. This granite post marks the northeast corner of Enfield, and the southeast corner of Canaan.

2007 Enfield/Grafton

The granite post is 4.5" by 6.5" by 43" high with multiple strands of barbwire wrapped around it, with the town initials carved into it.

History of the Enfield/Grafton/Springfield Corner Monument

1849 Springfield/Grafton

To a stake standing on the Enfield line at the N.W. Corner of Springfield and Southwest corner of Grafton marked D. N. A. J. W. and G. W. R. N. M. L. D. 1849

1857 Springfield/Grafton

To a stake and stones marked G& S 1857 at the southeast corner of Enfield.

1861 Springfield/Enfield

To stake and stones marked E & S 1861 C. L. C. & D. H. P. being the established corner bound between Springfield and Grafton on Enfield line. (Signed by, Samuel Choate Surveyor.)

1868 Enfield/Grafton

The line runs north 41 west to a stake and stones in James Jackmans pasture. It being the northeast corner of Enfield in Grafton line and marked the same A. L. and J. S. 1868.

1868 Springfield/Enfield

We begun at the corner of Grafton and Springfield on Enfield line it being a Spruce stake and marked the (same?)

1875 Enfield/Grafton

to a stake and stones on the corner of Grafton on the gore between Grafton and Springfield on Enfield line. Stake marked E. 1875 C.L.C. and G 1875 A.S. which is established as the southwest corner of Grafton.

1875 Enfield/Springfield

to stake and stone marked E 1875 C.L.C. and G 1875 C.V.P. on Enfield line between Springfield and Grafton.

1882 Enfield/Grafton

Thence south 41⁰ west on line between said town of Springfield corner bound.

1882 Enfield/Springfield

to stake and stones marked 1882 on Enfield line between Springfield and Grafton.

1885 Springfield/Grafton

Thence north 20⁰ east 193 rods to a stake and stones marked G .S. 1885 which is established as the westerly corner of said Grafton and the Northerly corner of said Springfield.

1889 Enfield/Grafton

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield marked E. 1889 E. A. G. J. H. W.

1896 Enfield/Grafton

Thence south 41⁰ west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E 1896 L. W. C. G. B.F.W. 1896

1896 Springfield/Enfield

We began at the northeast corner of the Town of Springfield at a stake and stones marked E + S which is established bound of said Springfield.

1899 Springfield/Grafton

Thence north 20° east 193 rods to a stake and stones marked G + S 1899 which is established as the northerly corner of Springfield and westerly corner of said Grafton.

1903 Enfield/Grafton

Thence south 41° west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E 1903 A. H. J. on the (?) side and G. 1903 (?) on the south side

1903 Enfield/Springfield

We began at the northeast corner of the Town of Springfield at a stake and stones that we marked C E B 1903, and A H J, E + S which is established as the corner bound of said Springfield.

1906 Springfield/Grafton

Thence north 20° east 193 rods to a stake and stones marked G + S 1899 which is established as the (westerly?) corner of Springfield and westerly corner of said Grafton.

1910 Enfield/Grafton

Thence south 41° west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield and marked E W. F. H. 1910 on the west side and G. 1910 (?) on the south side

1910 Enfield/Springfield

We began at the northeast corner of said town of Springfield at a stake and stones that we marked 1910 C. E. B. and W. F. H. E + S which is established as the corner bound of said Springfield.

1917 Enfield/Grafton

Thence south 41° west to a stake and stones in the pasture of James Jackman which is established as the southeast corner of said Enfield that we marked E and G 1917 W and B

1917 Springfield/Enfield

The line then runs north about 58° east to the northeast corner of the town of Springfield at a stake + stones we marked 1917 E. S. C. B. W. M.

1924 Enfield/Grafton

Thence south 41° west to a stake and stones in the pasture of AH Jackman which is established as the southeast corner of Enfield that we marked E and G 1924

1924 Springfield/Enfield

The line then runs north about 58° east to the northeast corner of the town of Springfield at a stake and stone we found marked 1917 E. + S.

1932 Enfield/Grafton

Thence south $46^{\circ} 40'$ west to a post and pile of stones the post being marked E. G. S. and is a corner between the towns of Grafton and Springfield on the Enfield town line

1932 Springfield/Enfield

Thence north $47^{\circ} 50'$ east to a post and pile of stones it being a corner of the towns of Springfield and Grafton on the Enfield town line said post being marked E. G. S.

1939 Enfield/Grafton

Thence south $47^{\circ} -03'$ west to a post and pile of stones, the post being marked E-G-S, and is a corner between the towns of Grafton and Springfield on the Enfield town line.

1939 Enfield/Springfield

Thence running in a southwesterly course to a post in a pile of stones in a wire fence, distance about 40 rods southwesterly of the Bog road so called; said post is the corner of the towns of Enfield and Grantham on the Springfield town line and is marked E-G-S.

1939 Grafton/Springfield

Beginning at a stake and stone about 5 rods from end of wall in A Jackman pasture this being the northwesterly corner of Springfield and the westerly corner of Grafton on the Enfield town line said stake marked T L E G S 1939

1946 Enfield/Grafton

Thence south west to a post and pile of stones the post being marked E G S and is a corner between the town of Grafton and Springfield on the Enfield town line.

1946 Grafton/Springfield

Beginning at a stake and stone about 5 rods from end of wall in A. Jackman pasture, this being the northwesterly corner of Springfield and the westerly corner of Grafton on the Enfield town line, said stake marked T. L. E. G. S. 1939, 1946

1957 Enfield/Springfield

Met at the northwesterly corner bound of the town of Springfield, at it's junction with the Enfield and Grafton town line: Said bound being a post marked E-S-G & 57, and set amid a pile of stones; it being the terminal of the Enfield-Grafton town line. Said being indicated by various portions of stone wall along the same. Said bound is located on land of the Jackman home farm, and is approximately 450 feet, more or less, northeasterly from the foundation of the old Jackman sugar house.

1958 Enfield/Grafton

to stake and stone about 5 rods from end of wall in A. Jackman's pasture, this being the northwest corner of Springfield and the westerly corner of Grafton on the Enfield town line, said stake marked T L E G S 1939 1946 58.

1958 Grafton/Springfield

Beginning at a stake & stone about 5 rods from end of wall in A. Jackman pasture, this being the N.W. corner of Springfield & the westerly corner of Grafton on the Enfield town line, said stake marked T. L. E.G. S 1939,1946, 1958

2006 Enfield/Springfield

The monument marking the Enfield/Springfield and Grafton corner, it being a 1" hollow pipe, 21" high, set in a pile of stones, with a 90⁰ angled metal plate welded to the top of it. One of the base stones is a rectangular cut stone with 1901 chiseled into it, and C Z or 02 chiseled below it. The GPS reading for this monument was NAD 27, 0736646, 4826183, +/- 14 ft.

2007 Enfield/Grafton

This monument is a 1" hollow pipe, 21" high, painted yellow, set in a pile of stones. One of the stones in the stone pile is a rectangular piece of granite, with the numbers 1921, and something else that we were unable to decipher.

History of the Enfield/Springfield/Grantham Corner Monument

1854 Grantham/Enfield

We begun at a stake marked E. G. standing on Springfield line it being the south east corner of Enfield and the north east corner of Grantham

1861 Springfield/Enfield

We begun at the southeast corner bound of Enfield and northeast corner of Grantham at stake and stones marked E. G. 1861 which is established as the corner bound of said towns on Springfield line (Signed by, Samuel Choate Surveyor.)

1868 Springfield/Enfield

Thence on said line to the corner of Enfield and Grantham.

1875 Enfield/Grantham

Beginning at stake and stones, stake marked E 1875 C.L.C. and G 1875 M.P.B. standing on Springfield line it being the southeast corner of Enfield and northeast corner of Grantham

1875 Enfield/Springfield

Beginning at the southeast corner bound of Enfield and northeast corner of Grantham at stake and stones marked E 1868 A.L. and G 1868 A.W. which is the established corner bound of said towns and Springfield line.

1896 Springfield/Enfield

The line then runs south about 42° west to the southeast corner of the town of Enfield adjoining the town of Grantham to a stake and stone marked E. S. + G.

1897 Springfield/Grantham

Thence same course to a hemlock stake marked G. S. T. L. 1897 and others being the northeast corner of Grantham at the southeast corner of Enfield.

1882 Enfield/Grantham

Beginning at a stone post marked E on one side G on one side and P on one side besides several other marks. This being the established corner between Grantham and Plainfield. The N.E. corner of Plainfield and the N.W. corner of Grantham.

1882 Enfield/Springfield

Beginning at the southeast corner bound of Enfield and the northeast corner of Grantham at stakes and stones marked E 1882 (initials) and G 1882 (initials) which is the established corner bound of said towns on Springfield line.

1903 Enfield/Springfield

The line then runs south about 42° west to the south east corner of the Town of Enfield adjoining the Town of Grantham to a stake and stones, we marked 1903 E + S, and C E B and 1903 E + S and A H J.

1904 Springfield/Grantham

Met ... at the northeast corner of said town of Grantham and on Springfield town line, and the southeast corner of the town of Enfield being a hemlock stake (and stones) marked C. M. D. 1904 S. + G. W. H. H. Loyal Barton, land surveyor, with compass ran line from Enfield + Grantham corner to Grantham Road.

1910 Enfield/Springfield

The line then runs south about 42⁰ west to the south east corner of the Town of Enfield adjoining the Town of Grantham to a stake and stones, we marked 1910 E + S, and C E B and 1903 E + S and W F H

1911 Springfield/Grantham

Met ... at the northeast corner of said town of Grantham and on Springfield town line, and the southeast corner of the town of Enfield being a brown ash stake (and stones) marked T. L. G. A. L. and E. H. I. 1911 stone G + S 1911 C. M. D. and H. W. H.

1917 Enfield/Grantham

The stake at the southeast corner of Enfield being new Nov 14, 1917 set by C.E Barley and (?) Morse

1917 Springfield/Enfield

We began at the southeast corner of the said town of Enfield adjoining the said town of Grantham at a stake and stone that we marked 1917 C + B W. L. M. E. S. which is established as the corner bound of said town of Enfield this bound being about 320(?) paces from highway

1918 Enfield/Grantham

The line starting at the S.W. (?) corner of Enfield and N.E. corner of Grantham being a stake and stone, the stake being new set Nov. 14, 1917 by L. E. Bailey and W. L. Morse.

1918 Grantham/Springfield

met at northeast corner of Grantham and the southeast corner of Enfield on the Springfield town line by stake and stones marked T. L. and other marks.

1924 Springfield/Enfield

We began at the southeast corner of the said town of Enfield adjoining the town of Grantham at a stake and stone that is marked 1917 L. E. B. + W. L. M. E. + S. which is established as the corner bound of said town of Enfield this bound being about 320 paces from highway
The bound on the Grantham corner we marked a new stone T. L. E. S. 24

1925 Enfield/Grantham

the line standing at the S.W. (?) corner of Enfield and the N.E. corner of Grantham being a stake and stone with a flat stone set up and marked E. on one side G. on (?) marked by the Selectmen of Enfield and Springfield in the year 1924.

1932 Enfield/Springfield

Beginning at a post and pile of stones the post being marked E. S. G.

1932 Enfield/Grantham

The line standing at the S.W. (?) corner of Enfield and N.E. corner of Grantham being a stake and stones set in Nov. 1932 by the Selectmen of Springfield and Grantham

1932 Grantham/Springfield

met at northeast corner of Grantham and southeast corner of Enfield on the Springfield Town line. ... Beginning at a stake and stones marked T.L.E.S.G., 1932 and other marks.

1939 Enfield/Springfield

Beginning at a post and pile of stones in the pasture of Allen Jackman, it being the corner bound of the towns of Grafton and Springfield on the Enfield line, said post being marked E-G-S.

1939 Springfield/Grantham

Thence same course to a stake and stones marked T. L. S. G. E. 1939 and other marks said stake and stones being about 40 rods south of the road leading from Washburn to George Pond said stake and stones being also the corner of Springfield Grantham and Enfield.

1946 Grantham/Springfield

to a stake and stones marked T.L.S.G.E. and other marks, said stake and stones being about 40 rods south of the road leading from Washburn corner to George pond, said stake and stones being also the corner of Springfield, Grantham and Enfield.

1957 Enfield/Springfield

The Enfield-Springfield town line continues as an extension of the Grafton-Enfield town Line about south 50° west more or less, to a post marked E-G (for Grantham) and S-57, and set amid a pile of stones at a wire fence; and is distant about 800 feet southwesterly from the "New Road" leading from Washburn Corner toward Enfield Center.

1957 Enfield/Grantham

Thence, the town line runs about south 49° - $45'$ east or parallel to the southerly line of Enfield to a post with stones about, in a wire fence, it being the corner bound of Grantham and Enfield and on the westerly line of the town of Springfield. Said post is marked E-G-S and is distant about 800 feet southwesterly from the "new road" leading from Washburn corner toward Enfield Center.

2005 Enfield/Grantham

4"x4" 6-foot high engraved pine post marker ...The maker is located in a fence row with considerable numbers of trees around it. The maker is at the base of a 2-foot diameter White Pine about 12 feet from a maple/spruce twosome that are taller than the surrounding trees.

2006 Enfield/Springfield

The monument marking the Enfield/Springfield and Grantham corner, it being a 4" X 4" pressure treated post set in a stone pile along a stonewall, with the names of the towns Enfield/Springfield and Grantham routed into it. The GPS reading for this monument was NAD 27, 0735032, 4823409, +/- 13 ft.

History of the Enfield/Grantham/Plainfield Corner Monument

1854 Grantham/Enfield

to a stake and stones marked E. and being the N .W. corner of Grantham and S. W. corner of Enfield and S. E. corner of Lebanon and N. E. corner of Plainfield

1854 Plainfield/Grantham

Thence running north (?) east (?) miles to the southwest corner of Enfield

1856 AN ACT to disannex a portion of Grantham and annex the same to Plainfield.

Be it enacted by the Senate and House of Representatives in General Court convened, That all that part of the town of Grantham, in the county of Sullivan, lying westerly of the following described line, to wit : beginning at a point on the northerly line of the town of Croydon, in said county, at the south-east corner of lot number sixty-seven in the third division of hundred acre lots in said town of Grantham, thence running north forty-two degrees east, on the range line so called, about seven hundred rods to the north-east corner of lot number fifty-six, in said third division of hundred acre lots, thence north about fifteen degrees east about six hundred and fifty rods to the south-east corner of the lot in the second division of hundred acre lots in said town of Grantham, which was drawn to the original right of Gad Lyman, and is now owned by John Eaton, thence northerly on the easterly line of said last mentioned lot about two hundred and forty rods to the north-east corner thereof, thence north forty-two degrees east, about three hundred and thirty rods to the southerly line of the town of Enfield, in the county of Grafton, be, and the same hereby is, severed and disannexed from said town of Grantham, and annexed to and made part of the town of Plainfield, in said county of Sullivan.

1863 Grantham/Plainfield

Met at the north line between said towns on the south line of Enfield ... at a stone set in the ground and marked which is the established corner bound of said towns

1863 Plainfield/Grantham

We began at the said bound at a stone set in the ground and marked which is the established corner bound of said towns (to meet at the north end of the line between said towns (Plainfield / Grantham) on the south line of Enfield)

1875 Enfield/Grantham

to a stone monument marked R.S.H. 1856 on the south, on the east G. and P. on the west standing on Enfield line. It being the established corner bound between Grantham and Plainfield. The northeast corner of Plainfield and southwest corner of Grantham.

1875 Enfield/Plainfield

to a stone post marked R.H.S. 1856 on the south, G on the east, P on the west. It being the northeast corner of Plainfield and the northwest corner of Grantham.

1882 Enfield/Grantham

Beginning at a stone post marked E on one side G on one side and P on one side besides several other marks. This being the established corner between Grantham and Plainfield. The N.E. corner of Plainfield and the N.W. corner of Grantham.

1882 Enfield/Plainfield

to a stone post marked (R S H 1856) on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northeast corner of Grantham (on the Enfield line).

1886 Enfield/Plainfield

to a stone post marked (R S H 1856) on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northeast corner of Grantham (on the Enfield line).

1896 Enfield/Plainfield

to a stone post marked (R S H 1856) on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northeast corner of Grantham (on the Enfield line).

1903 Enfield/Plainfield

Thence south 41° east to a stone post marked R S H 1856 on the south G on the east P on the west and E on the north. It being the northeast corner of Plainfield and the northwest corner of Grantham on Enfield line.

1910 Enfield/Plainfield

Thence S 41° E to a stone post marked R. H. 1856 on the south G on the east, P on the west and E on the north it being the northeast corner of Plainfield and the north west corner of Grantham on Enfield line.

1918 Enfield/Grantham

to a stone post marked E on one side G on one side and P on one side with several other marks. This being on the Enfield line and corner bound between Grantham and Plainfield, the N.E. corner of Plainfield and the N.W. corner of Grantham.

1924/1925 Enfield/Plainfield

to a stone post marked R. S. H 1856 on the south, G on the east, P on the west, E on the north. It being the northeast corner of Plainfield and the northwest corner of Grantham on the Enfield Line.

1925 Enfield/Grantham

to a stone post marked E. on one side and G. on one side and P. on one side with several other marks this being on the Enfield line and corner bound between Grantham and Plainfield the N.E. corner of Plainfield and N.W. corner of Grantham.

1932 Enfield/Grantham

to a stone post marked E. on one side G. on one side and P. on the other side with several other marks. This being on the Enfield line and corner bound between Grantham and Plainfield, the N.E. corner of Plainfield and the N.W. corner of Grantham.

1932 Enfield/Plainfield

to a stone post and pile of stones on land of the Champlain Realty Company, said post is marked R.S.H. 56 and is the north-east corner of Plainfield, the north-west corner of Grantham and is on the southerly line of Enfield.

1939 Enfield/Plainfield

to a stone post and pile of stones on land of the Champlain Realty Company, said post being marked R.S.H. 56 and is the northeast corner of Plainfield, the northwest corner of Grantham and is on the southerly line of Enfield.

1939 Plainfield/Grantham

Beginning at the north end of the line at a stone post set in the ground on the south line of the town of Enfield marked E on the north, P (initials) on the west and G (initials) on east and R.H.S., 1856 on the south

1940 Enfield/Grantham

A stone post and pile of stones on land of the Champlain Realty company, said post is marked R.S.H. 56 and is the northeast corner of the town of Plainfield, the Northwest corner of the town of Grantham and is on the southerly line of the town of Enfield.

1946 Plainfield/Grantham

Beginning at the north end of the line at a stone post set in the ground on the south line of the town of Enfield, marked E on the north, P (initials) on the west and G (initials) on east and R.H.S., 1856 on the south, witnessed by small spruce and maples blazed and painted with white paint, also painted the top of stone marked 46

1948 Enfield/Plainfield

to a stone post and pile of stones on land of the Champlain Realty Company, said post being marked R.S.H. 56 and is the north-east corner of Plainfield, the north-west corner of Grantham and on the southerly line of Enfield.

1953 Plainfield/Grantham

Found stone no. 1 above mentioned on Enfield south line. This stone is on a steep southeast slope, witnessed by three large stumps, and small spruces and maples blazed and painted white. The top of the stone is also painted white. We marked this stone 53 on its south face, and E. H. on the north side.

1957 Enfield/Grantham

... at a stone post, amid a pile of stones, marked R.S.H.- 56. Said post is the northeast corner bound of Plainfield; also the northwest corner bound of Grantham and marks the southerly line of the town of Enfield, and is also the division point between certain parcels of land belonging to the Champion-International Company.

1957 Enfield/Plainfield

to a stone post and a pile of stones, on land of the Champlain Realty Company, now or formerly, said post is marked R.S.H.- 56 and is the northeast corner of the town of Plainfield, and also the northwest corner of the town of Grantham, and on the southerly line of the town of Enfield.

1960 Plainfield/Grantham

found the stone standing at the north-westerly corner of Grantham and the northeasterly corner of Plainfield on the south line of Enfield, this stone is marked; E, 46 on the north; P, (initial's) on the west and G, (initial's) on east and R.H.S., on south with date 1856. Marked it 60. Stone no. 1.

1965 Enfield/Plainfield

to a stone post and a pile of stones, on land now or formerly of the Champlain Realty Co. This post is marked R.S.H.-56 etc.; we also marked it 65. This stone is the northeast corner of the town of Plainfield, and also the northwest corner of the town of Grantham, and stands on the southerly line of the town of Enfield.

1967 Plainfield/Grantham

Stone no. 1 is a gray upright piece of stone surrounded by small stones, and stands about two feet high, and is witnessed by a tall birch 10 feet to the east marked "53" and "VH". We marked said stone "67", and renewed blazes on trees in the vicinity.

1972 Enfield/Plainfield

This stone is a gray upright piece of stone surrounded small stones, and stands about two feet high and is witnessed by a tall birch on which are carved "53" and "VH". We marked this stone "72" amongst a great many initials and numerals from previous perambulations.

1977 Plainfield/Grantham

Not finding said "large maple", blazed line, or stone #1 after searching for over an hour, we agreed to return at a later date with one of the previous selectmen familiar with the stone and its location.

(No record of the selectmen returning later was found)

Kurt Gotthardt

1985 Plainfield/Grantham

We found stone #1 about 1/3 of the way up this 2nd incline witnessed as mentioned by a birch tree on its east. This tree now being dead, we marked and noted several other birch trees just to the west of the stone. We then taped and re-blazed the line back to the maple tree for future perambulations. This stone bounds Plainfield the west, Grantham the East and Enfield the north.

1990 Enfield/Plainfield

The stone is a gray upright piece of stone surrounded by smaller stones, standing about two feet high and is witnessed by a tall birch on which are carved "53" and "VH". We noted that the birch is now dead, and may not survive intact until the next perambulation. Several initials of members of past perambulations are carved on adjacent trees as well. We renewed the marks on stone # 5, adding a "90".

1993 Plainfield/Grantham

The boundary marker was found on the side hill, as previously described, with another beaver pond just visible through the trees. The stone was surrounded by trees showing evidence of many years worth of blazes. The stone is a gray upright piece of native stone surrounded by smaller stones, standing about two feet high and is witnessed by a tall birch on which are carved "53" and "VH". We noted that that while dead, the birch remains intact at this time. We renewed the markings on stone #1 (stone #5 for the Plainfield / Enfield perambulations)

1998 Enfield/Plainfield

The stone is a gray upright piece of stone surrounded by smaller stones, standing about two feet high. The stone lies about two thirds the way up the side hill with a pond just visible down through the trees. Standing at the stone looking beyond the pond to the horizon a distinctive notch or saddle is visible in the ridge line.

2005 Enfield/Grantham

The marker is about a 30-inch high stone located in a small clearing with several beechnut trees nearby. The stone marker is identified by a 53 engraved into it.

2006 Enfield/Plainfield

Stone #5 is a Granite Post, measuring 8" by 6" by 26" high.

A 1" rebar 17" above ground, and painted yellow is next to this monument.

The GPS coordinates for this monument are $43^{\circ} 34' 25''$ N, $72^{\circ} 10' 11''$ W
WGS 84 Datum / NAD 83.